

# Technological Standardization, Endogenous Productivity and Transitory Dynamics

Justus Baron  
Northwestern University  
Mines ParisTech

Julia Schmidt\*  
Banque de France

April 2017

## Abstract

Technological standardization is an essential prerequisite for the implementation of new technologies: The interdependencies of these technologies require common rules (“standardization”) to ensure compatibility. Though standardization is prevalent in practically every sector of industrialized economies, its macroeconomic implications have not been analyzed so far. Using data on standardization, we are able to measure the industry-wide adoption of new technologies and analyze their impact on macroeconomic variables. *First*, our results show that new technologies diffuse slowly and generate a positive S-shaped reaction of output and investment. Before picking up permanently, total factor productivity temporarily decreases, implying that the newly adopted technology is incompatible with the incumbent technology. *Second*, standardization reveals information about future movements of macroeconomic aggregates as evidenced by the positive and immediate reaction of stock market variables to the identified technology shock. Standardization triggers a lengthy process of technology implementation whose aggregate effects only materialize after years; however, forward-looking variables pick up these developments on impact.

JEL-Classification: E32, E22, O33, O47, L15

Keywords: technology adoption, business cycle dynamics, standardization, aggregate productivity, Bayesian vector autoregressions

---

We would like to thank the following people for very fruitful discussions and valuable comments: Jeffrey Campbell, Nicolas Coeurdacier, John Fernald, Jordi Galí, Domenico Giannone, Christian Hellwig, Yannick Kalantzis, Tim Pohlmann, Franck Portier, Ana-Maria Santacreu, Daniele Siena, Cédric Tille, Tommaso Trani, and conference and seminar participants at the Graduate Institute Geneva, Mines ParisTech, European Economic Association Congress Málaga, ICT Conference at Telecom ParisTech, University of Lausanne, University of Zurich, Fondazione Eni Enrico Mattei, Simposio of the Spanish Economic Association in Vigo, Bank of England, Royal Economic Society PhD Meetings, Magyar Nemzeti Bank, DIW Berlin, CERGE-EI, Oxford University, University of Geneva, Canadian Economic Association Conference at HEC Montréal, 6th Joint French Macro Workshop, Annual Conference on Innovation Economics at Northwestern University, Federal Reserve Bank of Chicago, University of Barcelona and Barcelona GSE Summer Forum. Julia Schmidt gratefully acknowledges financial support from the Groupement des Banquiers Privés Genevois. The views expressed in this paper are those of the authors and do not reflect those of the Banque de France.

\**Corresponding author*: Julia Schmidt, Banque de France, International Macroeconomics Division, 31, rue Croix des petits champs, 75049 Paris Cedex 01, France, Tel.: +33 1 42 92 94 85, julia.schmidt@banque-france.fr

Justus Baron, Searle Center on Law, Regulation, and Economic Growth, Northwestern University and Cerna, Center of Industrial Economics, MINES ParisTech, justus.baron@law.northwestern.edu

# 1 Introduction

Standardization is a crucial and pervasive feature of industrialized societies. Entire industries coordinate the introduction and adoption of new technologies through the development of formal technology standards. However, the literature has so far overlooked that technology adoption via standardization is an important source of macroeconomic fluctuations.<sup>1</sup>

In this paper, we exploit the fact that standardization is at the heart of the adoption of Information and Communication Technologies (ICT) for the identification of economy-wide technology shocks. We argue that standardization precedes the implementation of new technologies and signals future productivity gains. Our aim is to quantify the impact of standardization on the business cycle and to demonstrate its importance for macroeconomic dynamics.

Standards are pervasive in many economic sectors and shape many objects of our daily life. Prominent examples of standards include electricity plug standards, paper size formats or quality standards (e.g. ISO 9001:2008). Standardization is particularly crucial for the adoption of ICT. Their use hinges upon strict *compatibility requirements*: different technological applications have to be based on common features in order to benefit from the network effects that are generated by the wide-spread use of interoperable technologies (Katz and Shapiro, 1985). In order to achieve compatibility, industry-wide efforts are made to define common rules for all producers and users of the technology. This process is called standardization.

Standardization is a prerequisite for the implementation of ICT technologies. The development of the Internet was made possible by the definition of Internet protocols and other universal communication standards. Technological progress in wireless telecommunication proceeded through the development of various generations of standard families (1G, 2G, 3G, 4G and now 5G telecommunication standards). These technologies affect the production processes of a large number of sectors and have therefore been labeled a General Purpose Technology (GPT).<sup>2</sup>

---

<sup>1</sup>To our knowledge, there is only one other paper that treats the concept of “standardization” in a macroeconomic setting, but it differs conceptually from our use of the term “standardization”. In Acemoglu *et al.* (2012), standardization is the process through which the tasks associated with a new technology become more widely and routinely practiced. Therefore, standardization is modeled as the process of turning an existing high-tech product into a low-tech one. In contrast, the concept of standardization in this paper specifically refers to *technology standards* released by standard-setting organizations (SSOs). Standardization ensures the compatibility of one or several potentially complex technologies *across firms*, whereas the term standardization used by Acemoglu *et al.* (2012) concerns the internal organization of production processes within a given firm.

<sup>2</sup>Earlier examples of GPTs are the steam engine, railroads or electricity.

The central role of standardization for GPTs has important implications for macroeconomic fluctuations. Through standardization, groups of firms or entire industries define the technological details of a technology to be commonly used (such as WiFi or USB). A technology standard usually does not describe final products exploiting the new technology (such as a PC or a phone). Once a new technology is chosen via standardization, its specific applications are developed by various firms and existing production structures are adjusted to the new technology. This process, however, takes time and the new technology diffuses slowly. Yet, standardization already informs agents about future productivity gains. This paper therefore also contributes to the recent literature on news shocks (Beaudry and Portier, 2006; Jaimovich and Rebelo, 2009) by proposing an explicit example of a mechanism which reveals information about future macroeconomic developments and generates an immediate reaction of forward-looking variables.

Standards – similar to patents – are clearly identified documents which describe detailed features of a technology. Standard documents provide highly meaningful and economically significant information about technological progress. Many standards represent large bundles of interdependent inventions.<sup>3</sup> Furthermore, while many patented inventions are never or only rarely used, standards reflect a consensus of entire industries regarding technology adoption.

By using standardization data, we identify a *specific* technology shock that is directly concerned with technological change. Organizational restructuring, managerial innovation or other shocks to total factor productivity (TFP) unrelated to technology are not the focus of our analysis. Though this paper clearly relates to the literature on identifying technology shocks (or new shocks), its aim is to address standardization as a separate phenomenon and to quantify the role of standardization for macroeconomic fluctuations.

Both in innovation economics and the growth literature, technology is considered to be endogenous to the cycle. To take into account these interactions, we use a vector autoregression (VAR) model for the empirical analysis. However, recovering structural shocks in the context of slow technology diffusion can prove difficult (this is known as the *nonfundamentalness* problem, see Lippi and Reichlin, 1993; Leeper *et al.*, 2013). In this respect, this paper also contributes to the literature by introducing a flexible, data-driven way to tackle non-fundamentalness. In particular, we specifically adapt our VAR model to the context of slow technology diffusion

---

<sup>3</sup>For example, the 3G standard family comprises over 1200 declared essential patents held by 72 firms (Bekkers and West, 2009).

by opting for a generous lag length and variable-specific shrinkage to capture the importance of distant technology lags for the dynamics of the system. We introduce this feature into macroeconometric modeling by using Bayesian techniques.

Our findings can be summarized as follows. *First*, we find that standardization is an important driver for output and investment as well as for long-run productivity. The technology shock that we identify is very specific, but can nevertheless account for up to 7% of business cycle fluctuations and 29% of fluctuations at lower frequencies. Following a technology shock, investment in information processing equipment and software picks up across all sectors and does so to a larger degree than other types of investment. In the short run, standardization produces important transitory dynamics. The reaction of output and investment to our technology shock is S-shaped, thus implying slow diffusion. Moreover, we find that TFP decreases in the short-run. We interpret this finding as an indication of the incompatibility of the new standard with the incumbent technology. When we use information on whether a standard is genuinely new or just an upgrade of an already existing standard (discontinuous vs. continuous technological change), we confirm that the temporary slump in TFP arises from discontinuous technological change.

*Second*, we find that the identified technology shocks communicate information to economic agents about future productivity in the spirit of Beaudry and Portier (2006): Stock market indices rise on impact to the identified technology shock. We confirm this finding both in a VAR framework with quarterly data as well as using daily stock market data around specific standardization events.

**Related literature.** This paper is related to the literature on the effects of technology shocks on business cycles. Most of the empirical research in this field uses identification schemes which deduce technology shocks from macroeconomic data (King *et al.*, 1991; Galí, 1999; Basu *et al.*, 2006). These approaches are highly dependent on their underlying identification assumptions. As an alternative approach, one can employ direct measures of technological change. On the one hand, a vast literature relies on R&D and patent data to capture direct indicators of *inventive* activity (Shea, 1999; Kogan *et al.*, 2012; Akcigit and Kerr, 2016). However, R&D expenditures and patent counts often tell little about the economic significance of an innovation and are only loosely related to the actual implementation of new technologies.

Therefore, on the other hand, proxies for the *adoption* of technological innovations have been used. A very important contribution in this literature is Alexopoulos (2011) who relies on technology publications, i.e. manuals and user guides, as a

measure for technology adoption. She finds that the reaction of TFP to technology shocks is positive and economically important; however, there is no short-term contraction as in our case. In contrast to technology manuals, the establishment of compatibility requirements via standardization kicks off the implementation of technologies, by which we mean the subsequent development of different applications of the new technology (the standard) as well as a potential re-structuring of production processes. Standardization therefore occurs prior to the introduction of technology manuals and is presumably not picked up by the indicator in Alexopoulos (2011).

This paper also relates to the literature on shocks to the efficiency of new investment goods as defined by Greenwood *et al.* (1988). These investment-specific technology (IST) shocks have been shown to play an important role for macroeconomic dynamics (Greenwood *et al.*, 2000; Fisher, 2006; Justiniano *et al.*, 2010). However, compared to IST shocks, standardization takes place before the actual increase in the efficiency of new investment goods.

The vintage capital literature, in particular, has concentrated on the role of new technological vintages for macroeconomic dynamics (see for example Cooley *et al.*, 1997). This literature shows that productivity can slow down temporarily if the new technology requires learning and reorganization (Hornstein and Krusell, 1996; Greenwood and Yorukoglu, 1997; Yorukoglu, 1998). Conceptually, we interpret our findings in a similar way: In order to actually exploit a new technology for commercial use, standardization is the first step which describes the new technology; however, new products and processes are only brought to the market following a lengthy implementation process (“time to implement”, see Hairault *et al.*, 1997).

Our results show that stock markets nevertheless react positively on impact to the identified technology shock. We relate this finding to the high information content of standardization events. The fact that forward-looking variables react contemporaneously resembles the dynamics uncovered in the news shock literature (Beaudry and Portier, 2006; Jaimovich and Rebelo, 2009). Nevertheless, our identification assumption differs from the one for news shock. In contrast to the shock identified in this paper, news shocks comprise a large number of shocks which all drive productivity in the long-run whereas this paper concentrates on standardization alone.

The next section motivates and discusses the relevance of our new measure of technological change. Section 3 and 4 describe the data and the econometric methodology. Section 5 discusses the results while section 6 investigates the robustness of the findings. Finally, Section 7 concludes.

## 2 The economic implications of standardization

Technology standards play various important economic roles (Farrell and Saloner, 1985). *First*, compatibility across different products, technologies and their sub-components increases the positive externalities associated with the growing number of users of a particular product (Katz and Shapiro, 1985). *Second*, market transactions can be facilitated due to the use of a common definition of the underlying product. *Third*, economies of scale and scope can arise when complementary intermediate goods are used as inputs for the production of different goods. *Fourth*, technology standards allow for modularity in the production of complex products, facilitating competition between both component and end product makers and encouraging the technological specialization of firms.

As will be described below, the intrinsic nature of standardization can explain why and how the supply of new technologies translates into aggregate macroeconomic fluctuations. First, through standardization, entire industries coordinate on the adoption of new technologies. Second, standardization is a selection mechanism, which reduces technological uncertainty and reveals information about future productivity gains.

**Industry-wide technology adoption.** Standardization arises whenever agents benefit from coordinating their technology adoption decisions. There are several ways to achieve this coordination, notably through voluntary participation in standard-setting organizations (SSOs), as well as *de facto* standardization. Many important ICT standards are set by SSOs. Relevant examples of SSOs developing ICT standards are the Institute of Electrical and Electronics Engineers (IEEE) or the European Telecommunications Standards Institute (ETSI).

SSOs are mostly private organizations that develop technology standards through the voluntary contributions of their members. SSO membership is typically open to all interested stakeholders and many SSO members are private companies. Many SSOs have a broad membership base, including all relevant stakeholders from a particular industry.<sup>4</sup> Within SSOs, technical committees and working groups which are composed of industry representatives develop draft standards. These drafts are subject to a vote by member firms which is decisive for the release of the standard. Voting on standards in most SSOs is based on consensus, which is typically defined

---

<sup>4</sup>In a sample of 200 SSOs operating in ICT, Baron and Spulber (2016) find that the median SSO has more than 100 member companies.

as a supermajority voting in favor of a standard, and the absence of qualified disagreement. The release of a standard by an SSO thus represents a wide agreement among a large and significant group of industry members.

The application of technology standards developed by SSOs is voluntary, unless a standard is incorporated into binding government regulation.<sup>5</sup> However, in practice companies often are compelled to apply a specific technology standard in order to participate in a particular industry.<sup>6</sup>

Not all SSOs are equally established organizations. SSOs can also be informal consortia or special interest groups (Chiao *et al.*, 2007). The adoption of a standard by an informal consortium represents a more preliminary and less encompassing agreement within an industry and typically occurs earlier than in the case of formal SSOs. In addition to standards set by SSOs, companies can also adopt *de facto* standards. De facto standards emerge from implicit coordination in the marketplace, when consumers' adoption choices gradually converge. An example of a *de facto* standard is the QWERTY keyboard. De facto standards and standards initially developed by informal consortia are often eventually adopted by established SSOs as formal technology standards. In these cases, the formal release of the standard indicates a broader adoption of the technology by a larger number of industry members. While there are hundreds of SSOs and consortia, a few large organizations dominate the standard setting process. According to the American National Standards Institute (ANSI), the 20 largest SSOs produce about 90% of all US standards.<sup>7</sup>

**The timing of invention, standardization and actual use.** Given the complex nature of technological development from research to its actual use, it is useful to distinguish between inventive activities, technology adoption and actual use (see figure 1). Inventive activities translate into technological progress at varying and

---


<sup>5</sup>SSOs can develop regulatory standards upon request of governmental authorities. Alternatively, voluntary SSO standards can be incorporated by reference into binding regulations. In the US, SSOs accredited by the American National Standards Institute (ANSI) can issue American Standards, which can be incorporated into binding regulations. At the international level, binding standards can be developed e.g. by the International Organization for Standardization (ISO). These organizations however also issue voluntary industry standards.

<sup>6</sup>For example, the International Telecommunications Union (ITU-T) states: "Recommendations are standards that define how telecommunication networks operate and interwork. ITU-T Recommendations are non-binding, however they are generally complied with due to their high quality and because they guarantee the interconnectivity of networks and enable telecommunication services to be provided on a worldwide scale." Cited from <http://www.itu.int/en/ITU-T/publications/Pages/default.aspx>

<sup>7</sup>See the Domestic Programs Overview on ANSI's website: [http://www.ansi.org/standards\\_activities/domestic\\_programs/overview.aspx?menuid=3](http://www.ansi.org/standards_activities/domestic_programs/overview.aspx?menuid=3)

potentially long time-lags. At the time of invention, it is often impossible to predict future use or impact of a new technology. By contrast, standardization reduces the uncertainty surrounding the future profitability of a new technology (Aggarwal *et al.*, 2011).

Figure 1: Stylized timing sequence and indicators



The necessity to standardize interdependent technologies introduces an explicit selection mechanism where one technology is chosen among competing ones for common use by an entire industry prior to the market introduction of capital goods and consumer goods using this technology. As a consequence, standardization coincides with the point in time that triggers the industry-wide implementation of new technologies. Appendix A provides an example of the temporal coincidence of standard releases and the first stage of the mass introduction of new technologies, using the mobile telecommunications technologies 3G and 4G as an example.

Technological interdependencies between standards also lead to many standards being released at the same time. Appendix A illustrates the clustered release of standard documents belonging to a common “generation” of mobile communication standards, which were each developed over a period of several years. Even though new technologies are continuously developed through continuous inventive activities, the adoption of standardized technologies occurs through discrete events, thus opening up the possibility for infrequent technology shocks.

Standardization is thus associated with the point in time when a new technology becomes available for implementation. However, this does not always imply immediate use of the new technology. Firms need to develop new standard-compliant products or services or to adapt existing production structures to discontinuous technological change. There is considerable “time to implement” (Hairault *et al.*, 1997). Nevertheless, the issuance of standard documents already releases information



about the selection of a technology and signals its future use. We will revisit the consequences of this timing sequence in the light of the literature on the role of news for macroeconomic fluctuations.

### 3 Description of the data

We employ data for the US economy. In order to retrieve time series on standardization, we use the Searle Center database on technology standards and standard setting organizations (Baron and Spulber, 2016).<sup>8</sup> This database includes standards set by more than 600 SSOs; including formal SSOs and more informal standards consortia. However, our data do not cover *de facto* standards or the standards issued by ad hoc industry groups. Nonetheless, many of the standards issued by these bodies are only used by a limited number of implementers. If a standard developed by an ad hoc group gains wide acceptance, it is common that such standards are eventually accredited as a standard by one of the formal SSOs in our sample.<sup>9</sup>

Standardization is a particularly important step for the implementation of ICT due to its key role in harmonizing technological devices and ensuring compatibility. Moreover, ICT has been shown to be a General Purpose Technology (GPT, see Basu and Fernald, 2008; Jovanovic and Rousseau, 2005) and has constituted *the* dominant GPT in recent decades. We therefore concentrate our analyses on ICT standards. In a robustness check in section 6.1, we also include standards from the field of electronics.

For many standards issued by large SSOs, the International Classification of Standards (ICS) system allows assigning each standard to a specific technological field. In the case of smaller SSOs, the technological classification of the standard can generally be inferred from the technological focus of the issuing SSO. In addition, we are able to identify the national focus of the different SSOs and construct series for standards released by US SSOs (“US”) as well as those released by both US and international SSOs which also apply to the US (“US+Int”). Table 1 shows that the database we are extracting for the period 1975Q1–2011Q4 contains a total of almost 575 000 standards of which roughly 16% are ICT standards. Other technological fields

---

<sup>8</sup>The Searle Center database of technology standards and standard setting organizations is a database with comprehensive information on standards intended for academic research; for additional information, see <http://www.law.northwestern.edu/research-faculty/searlecenter/innovationaleconomics/data/technologystandards/index.html>.

<sup>9</sup>This has for instance been the case of the DVD format, which was first specified by an informal, ad-hoc industry group and was eventually released as an ISO standard.

in which a large amount of standards are released are engineering and electronics as well as materials, transport and construction technologies.


Table 1: Characteristics by ICS classification 1975Q1–2011Q4

	Number		% new	
	US	US+Int	US	US+Int
Health/safety/environment/agriculture/food	11 117	38 890	49	52
ICT	14 192	90 150	70	62
Engineering/electronics	28 400	75 213	45	50
Materials technologies	32 257	59 529	33	40
Transport/construction	33 093	65 782	45	48
Generalities/infrastructures/sciences/etc.	7 954	26 789	42	52
Not classified	242 159	260 140	49	50
Total	358 032	574 844	47	51

*Notes:* The table summarizes information on the data series over the time period 1975Q1–2011Q4. “US” refers to standards released by US standard setting organizations whereas “US+Int” refers to standards released both by US and international standard setting organizations. “% new” refers to the percentage of standards in the sample which are new, i.e. which are not upgrades of already existing standards. The number of total standards in the table does not equal the sum of the underlying ICS classes as standards can be categorized into more than one ICS class.

Time series are constructed by counting the number of industry standards which are released per quarter. Figure 2 plots the standard count for ICT standards released by US SSOs and compares them to the total number of standards. One can observe a continuous increase in the 1980s and 1990s, but there is also a large amount of variability in the data. Figure 2 also shows that the standard series for ICT and for all ICS classes differ substantially despite the former being part of the latter.

Figure 2: Standard series 1975Q1–2011Q4



*Notes:* The series display the number of new standard releases per quarter (“standard count”). The left-hand side y-axis corresponds to ICT standards and the right-hand side y-axis corresponds to the total number of standards across all ICS classes which were released by US standard setting organizations over the period 1975Q1–2011Q4.

For the main analysis in this paper, we will use standards released by US SSOs as these are the most relevant for the US economy. In addition, some of the most important standards released by international SSOs are often simultaneously accredited by US SSOs and will thus be included in the US data series. In the robustness section of this paper, we will further discuss the data series obtained using standards from international SSOs and will show that our results hold. In sections 5.2 and 6, we will also use certain standard characteristics (new vs. upgraded standards or the number of pages or references) to assess the relevance of different standard documents. For a share of the standard counts, we only have information about the year, but not the month, of the release of the standard. We therefore adjust the final series by uniformly distributing the standards for which only the release year is known across the quarters in the respective year. This adjustment does not affect our results.<sup>10</sup> In section 6.4, we will present robustness checks using annual data to show that results hold independently of the adjustment procedure. For details on the standards data, we refer to appendix G.

Concerning macroeconomic variables, we will focus on the following series in the baseline version of the empirical model: output in the business sector, private fixed investment as well as total factor productivity (adjusted for capacity utilization). Data on macroeconomic aggregates are real, seasonally adjusted and transformed in per capita terms by dividing the series with the population aged 16 and above. All data are quarterly for the period 1975Q1–2011Q4. Detailed information on all the series, and in particular their sources, can be found in appendix F. For the estimations, all data series are in log levels.

## 4 Econometric strategy

We employ a vector autoregression (VAR) model in order to take into account that technology adoption could be partly endogenous to the cycle. The reduced-form VAR system can be written as follows:

$$Y_t = X_t A + u_t \quad \text{where} \quad E[u_t u_t'] = \Sigma \quad ; \quad \text{vec}(u_t) \sim \mathcal{N}(0, \Sigma \otimes I_{T-p})$$

---

<sup>10</sup>In particular, we experimented with different adjustment procedures, i.e. using the distribution of standards with known complete date over one year (instead of a uniform distribution) to allocate the standards with incomplete date released in the same year, or using only the series for which the complete date is known. Results did not change.

$X_t$  comprises the lagged variables of the VAR system and  $A$  denotes the coefficient matrix. In the baseline version,  $Y_t$  is composed of output in the business sector, private fixed investment, total factor productivity (adjusted for capacity utilization) as well as the standard count of ICT standards released by US SSOs.

Non-fundamentalness can arise in VARs with news shocks or slow technology diffusion: recovering structural shocks can be difficult if the space spanned by the shocks is larger than the space spanned by the data (Lippi and Reichlin, 1993; Leeper *et al.*, 2013). Appendix E provides a detailed discussion of this issue.

One solution to the non-fundamentalness problem is to align the information set of the econometrician with the one of the agents. This is the approach taken in this paper: we include a variable into the VAR that picks up the point in time when technology adoption is announced. However, we are also confronted with the fact that it takes time to adjust the newly standardized technologies to their final use – an issue that could reinstate non-fundamentalness. We therefore include 12 lags into the VAR, instead of the usual 4 lags often employed for quarterly data.<sup>11</sup>

A generous lag length, however, can cause problems due to overparameterization. We tackle this trade-off by using Bayesian shrinkage in a flexible, data-driven way. In particular, we allow for variable-specific lag decay to reduce parameter uncertainty while still fully exploiting the information contained in longer lags of the standard series. In order to implement this approach, we use a Normal-Wishart conjugate prior which assumes the following moments:

$$\begin{aligned}\Sigma &\sim \mathcal{IW}(\Psi, d) \\ \alpha = \text{vec}(A) \mid \Sigma &\sim \mathcal{N}(a, \Sigma \otimes \Omega)\end{aligned}$$

In particular, we impose a Minnesota prior, i.e. the first own lag of variable  $i$  is equal to a certain value  $\delta_i$  while all other prior coefficients are zero:

$$a_{ijl} = \begin{cases} \delta_i & \text{if } i = j \text{ and } l = 1 \\ 0 & \text{otherwise} \end{cases}$$

Macroeconomic variables such as output, investment or TFP are non-stationary due to the unit root properties of the time series (which are included into the VAR in log levels). The non-stationarity of the macroeconomic variables is taken care of by

---

<sup>11</sup>Canova *et al.* (2010) also include 12 lags in order to avoid problems of non-fundamentalness. Fève and Jidoud (2012) show that the inclusion of many lags considerably reduces the bias in VARs with news shocks. A similar point is raised by Sims (2012) who shows that the bias from non-fundamentalness increases with the anticipation lag of news shocks.

specifying  $\delta_i$  accordingly. In particular, the prior coefficients for the macroeconomic variables mimic their unit root properties ( $\delta_i = 1$ ) and the one for standardization assumes a white noise behavior ( $\delta_i = 0$ ). Thus, we explicitly model the fact that output, investment and TFP have a unit root, while this is not the case for the standard series.

The informativeness of the prior is governed by the variance of the prior coefficients. A tighter variance implies that the coefficient of the posterior will more closely follow the prior coefficient, thus reducing parameter uncertainty (“Bayesian shrinkage”). The variance of the prior coefficients is set as follows:

$$V(a_{ijl}) = \begin{cases} \frac{\phi_1}{l\phi_4} & \text{for } i = j, l = 1, \dots, p \text{ (own lags)} \\ \frac{\phi_1\phi_2}{l\phi_{4,j}} \frac{\psi_i}{\psi_j} & \text{for } i \neq j, l = 1, \dots, p \text{ (lags of other variables)} \\ \phi_3\psi_i & \text{for the constant} \end{cases}$$

The vector  $\phi = (\phi_1 \phi_2 \phi_3 \phi_4 \psi_i)$  denotes the hyperparameters which govern the “tightness” of the prior. The prior on the constant is assumed to be uninformative ( $\phi_3 = 10^6$ ). The Minnesota prior is Normal-Wishart and thus requires a symmetric treatment of all equations (Kadiyala and Karlsson, 1997; Sims and Zha, 1998) which is why  $\phi_2 = 1$ .<sup>12</sup> The parameter  $\phi_1$  controls the overall shrinkage of the system.<sup>13</sup>  $\psi_i$  are scale parameters.

The Minnesota prior assumes that longer lags are less relevant which is why they are shrunk to zero. This “lag decay” is usually fixed *a priori* by the econometrician uniformly across all variables. However, since the purpose of a generous lag length is to capture slow technology diffusion, we allow for variable-specific shrinkage of distant lags (via  $\phi_{4,j}$ ) which we estimate from the data. By doing so, we want to avoid to forcefully shrink the influence of long lags of standards (or any other variable), but rather “let the data speak” on the amount of lag decay for each variable.

With  $\phi_2$  and  $\phi_3$  being fixed, we collect the remaining hyperparameters in the vector  $\Theta = (\phi_1 \phi_{4,j} \psi_i)$ . In setting  $\Theta$ , we follow Canova (2007), Giannone *et al.* (2014) and Carriero *et al.* (2014) and maximize the marginal likelihood of the data,  $p(Y)$ , with respect to  $\Theta$ :


$$\Theta^* = \arg \max_{\Theta} \ln p(Y) \quad \text{where} \quad p(Y) = \int \int p(Y | \alpha, \Sigma) p(\alpha | \Sigma) p(\Sigma) d\alpha d\Sigma$$

<sup>12</sup>For the same reason, the same lag decay for each variable is imposed on all equations.

<sup>13</sup>When  $\phi_1 = 0$ , the posterior distribution tends towards the prior distribution; when  $\phi_1 = \infty$ , the prior is flat and the posterior estimates coincide with the ordinary least squares estimates.

The maximization of  $p(Y)$  also leads to the maximization of the posterior of the hyperparameters. The latter are therefore estimated from the data. Appendix C describes the prior distributions, the posterior simulation and the selection of the hyperparameters in more detail.

Figure 3: Lag decay estimates



*Notes:* The figure displays the estimates of the lag decay parameter and the implied shrinkage at different lags for the four-variable baseline model. A higher value of  $\phi_{4,j}$  implies a tighter shrinkage for distant lags, thus implying that these lags are not as important for the dynamics of the system.

The comparison of the estimated lag decay is informative for evaluating the relevance of variable-specific Bayesian shrinkage. Figure 3 displays the implied lag decay (i.e.  $1/l^{\phi_{4,j}}$  as a function of  $l$ ) for the baseline model which includes output, investment, TFP and the standard series. The results confirm our assumptions from above. The prior variance for distant lags is considerably tighter for macroeconomic variables than for standards. This implies that long lags of the standard series are more important for the dynamics of the system than the ones of macroeconomic variables. This is consistent with the idea of slow technology diffusion that motivated the inclusion of a generous lag length and variable-specific shrinkage in the first place.

## 5 Discussion of results

We use a recursive (Cholesky) identification scheme to recover the structural technology shocks from the reduced-form errors. The standard series is ordered last and the technology shock is recovered from its reduced-form innovations. The same approach and ordering is also used by Shea (1999) and Alexopoulos (2011) who identify technology shocks from patent data and technology manuals respectively. Our identification approach is motivated by the literature on technology diffusion which has shown that new technologies diffuse slowly. We should therefore expect the emergence of a desirable technology to affect standardization on impact, but not

output, investment or TFP. In addition, a Cholesky identification scheme imposes minimal assumptions on the model.<sup>14</sup>


Figure 4 displays the impulse responses to the identified technology shock. On impact, standardization peaks, but the response to the shock is not persistent. This is consistent with the idea that technology adoption is very lumpy as the catch-up with the technology frontier entails the bundled adoption of hitherto unadopted technologies. Once technologies are adopted in a quarter, the following quarter is characterized by low adoption rates.

The primary interest of this paper is to investigate the aggregate effects of technology shocks on the macroeconomic cycle. We will first discuss the reaction of output and investment before turning to TFP further below.

### 5.1 The effect of technology shocks on output and investment

**Impulse responses.** The reaction of output and investment is positive and S-shaped. In particular, the reaction is sluggish immediately after the shock, picks up after 6 quarters and reaches its maximum after 16–24 quarters. The effect of the identified technology shock is permanent. This S-shape mirrors processes of technology diffusion analyzed in previous research (Griliches, 1957; Jovanovic and Lach, 1989; Lippi and Reichlin, 1994): technologies propagate slowly at first and then accelerate before the diffusion process finally levels off. The effects of the type of technology adoption we measure in our setup materialize fully after 4–6 years.

Figure 4: IRFs – Responses to a technology shock



*Notes:* Impulse responses to a technology shock identified from standardization data. The black line represents the median response, the corresponding shaded regions denote the 16th and 84th percentiles of the posterior distribution and dotted lines denote the 5th and 95th percentiles. The unit of the x-axis is quarters.

<sup>14</sup>In contrast to the most commonly used identification schemes à la Galí (1999), we have direct access to an indicator of technology adoption and can thus exploit this data without imposing how technology shocks affect certain variables in the long-run. Moreover, by avoiding to rely on long-run restrictions, we make sure that we are not confounding technology shocks with any other shocks that have a permanent effect on macroeconomic variables.

In an additional exercise, we explore which sub-components of investment are affected the most. To this end, we estimate a VAR where the variable representing the respective type of investment is block-exogenous to the remaining VAR system.<sup>15</sup> This block exogeneity assumption ensures that the estimated VAR coefficients of the main block remain the same as in the baseline model and that the technology shock is identified consistently across all investment components. Details on the implementation of the block exogeneity VAR and its Bayesian estimation can be found in appendix D.

Table 2 lists the responses of several subcomponents of private fixed investment after 16 quarters. The results in table 2 suggest that standardization correctly picks up a technology shock as defined in this paper: the reaction of investment in computers and peripheral equipment exceeds the one of other types of equipment by one order of magnitude. The second largest reaction is the one by investment in software.

Table 2: Impact of a technology shock, IRF at horizon 16

Investment series	
Equipment	0.93*
Information processing equipment	1.66*
Computers and peripheral equipment	3.83*
Other information processing equipment	0.66*
Industrial equipment	0.48*
Transportation equipment	1.08*
Other equipment	0.29
Intellectual property products	0.94*
Software	2.03*
Research and development	0.68*
Entertainment, literary, and artistic originals	0.57*

*Notes:* The table displays the value of the impulse response function to the identified technology shock for different investment types after 16 quarters (multiplied by 100). The identified technology shock is exactly the same as the one in the baseline model and its effect on the respective sub-component of investment is estimated by imposing block exogeneity. “\*” denotes significance at the 16th/84th percentile.

Note that the investment series in table 2 do not represent investment in different sectors, but rather different types of investment across all sectors of the economy. The estimates in table 2 therefore reflect the diffusion of new technologies such as computers and software which can be expected to be used as input factors in a large variety of sectors.

<sup>15</sup>In particular, the estimated VAR system consists of a first block which corresponds to the baseline model and a second block comprising one type of investment. The latter is assumed to have no impact on the variables in the first block at any horizon. Bayesian techniques are used as described in section 4.



**Quantitative importance of technology shocks.** In order to analyze the relative importance of the identified technology shock, we rely on forecast error variance decompositions (FEVDs). In particular, we compute these variance decompositions in the frequency domain. Appendix B describes the computation of these decompositions. The results are displayed in figure 5 which displays the FEVDs against different frequencies. Table 3 summarizes these results for business cycle and medium-term frequencies.

Our results indicate that the identified technology shock is not the primary cause of macroeconomic fluctuations, but its contribution is still economically sizeable. From both figure 5 and table 3, it is obvious that technology shocks play a more important role for output, investment and TFP at lower frequencies. Between 19% and 29% of the fluctuations of macroeconomic variables can be explained by our technology shock at medium-term frequencies; at business cycle frequencies, we are able to explain between 5% and 7%.

Figure 5: FEVDs




Table 3: FEVDs

Frequency (quarters)	8–32	33–200
Output	0.07	0.29
Investment	0.06	0.19
TFP (adj.)	0.05	0.20
Standards	0.74	0.41

*Notes:* The variance decompositions refer to the VAR whose impulse responses are displayed in figure 4. The left panel (figure 5) displays the contribution of the identified technology shock to fluctuations of macroeconomic variables. The shaded region corresponds to business cycle frequencies. Frequencies below 0.2 correspond to the medium- and long-run (32–200 quarters) whereas the ones greater than 0.8 correspond to high-frequency fluctuations (< 8 quarters). The right panel (table 3) summarizes the contribution of the identified technology shock at business cycle frequencies (8–32 quarters) as well as over the medium- to long-run (33–200 quarters).

The fact that the response of output and investment to TFP is S-shaped (figure 4) is representative of slow diffusion. This, in turn, determines at which frequencies the identified technology shock contributes the most to macroeconomic fluctuations. The introduction of a new technology causes gradual changes in the short-run, but its aggregate effects on the macroeconomic cycle matter predominantly in the medium- and long-term. As it takes time to adapt the newly adopted technology to its final use, macroeconomic variables are affected to a larger degree in the medium-run than in the short-run (see table 3). A similar point is also made in Jovanovic and Lach (1997) who link lengthy diffusion lags to the inability of the introduction of new products to generate output fluctuations at high frequencies.

Overall, we find similar magnitudes for the FEVDs as Alexopoulos (2011)<sup>16</sup>. Comparisons with other research, however, reveals that the identified technology shock explains a smaller amount of aggregate fluctuations than sometimes found in the literature.<sup>17</sup> These larger magnitudes can mainly be traced back to differences in scope. The conceptual interpretation of “technology shocks” is often extremely broad. This paper, on the contrary, identifies a precisely defined technology shock which is not a combination of several underlying types of shocks. Other “technology shocks” such as policy changes, organizational restructuring or human capital can be equally or even more important for aggregate volatility. However, their propagation might be quite different which is why it is crucial to analyze them separately. Taking into account that we are isolating a specific technology shock, the measured contribution to aggregate volatility appears to be economically sizeable.

## 5.2 Effect of technology shocks on TFP

The impulse response of TFP to the identified technology shock measures to which extent the adoption of new technologies translates into higher productivity. Figure 4 shows that TFP decreases in the first quarters following a technology shock before picking up in the medium- and long-run. This finding runs counter to models where technology shocks are assumed to lead to immediate increases in TFP. However, research in industrial organization and the vintage capital literature has shown that such a reaction is plausible: the introduction of a new technology can cause inefficiencies due to the incompatibility of the new technology with the installed base (Farrell and Saloner, 1986) or workers’ skill set (Chari and Hopenhayn, 1991). The vintage capital literature emphasizes the role of learning and reorganization for productivity dynamics following a technology shock (Hornstein and Krusell, 1996; Cooley *et al.*, 1997; Greenwood and Yorukoglu, 1997). TFP can therefore temporarily

---

<sup>16</sup>Alexopoulos (2011) finds that technology shocks identified from technology publications account for a considerable portion of GDP fluctuations (i.e. about 10–20% after 3 years), with the contribution of technology shocks being more important at longer horizons.


<sup>17</sup>For example, Basu *et al.* (2006) find that shocks identified from Solow residuals which are corrected for non-technology factors account for 17% of GDP fluctuations after 1 year and 48% after 10 years. Using predominantly estimated structural models, the IST literature finds that the contribution of IST shocks to aggregate volatility ranges from about 20% to 60%. Greenwood *et al.* (2000) find that 30% of business cycle fluctuations can be attributed to IST shocks. A value of 50% is found by Justiniano *et al.* (2010). Smets and Wouters (2007) find somewhat smaller values, especially at longer horizons. Using structural VAR analysis, Fisher (2006) finds that 34% to 65% of output fluctuations are driven by IST shocks in the long-run whereas the contributions in the short-run are comparable to our results.

decrease, before the implementation and deployment of the new technology raises the level of productivity permanently as figure 4 shows.

Since we are concentrating on ICT standards, our results also relate to the so-called “productivity paradox” which addresses the discrepancy between low productivity growth and high rates of ICT deployment in the 1980s; or as Robert Solow said in 1987: “You can see the computer age everywhere but in the productivity statistics”. Yorukoglu (1998) finds that the introduction of ICT requires a considerable investment into learning. He specifically relates the incompatibility between different ICT vintages to differences in technological standardization in ICT. Samaniego (2006) stresses the need for reorganization at the plant level due to the incompatibility of new ICT technologies with existing expertise.

We interpret the temporary decrease of TFP as evidence for the incompatibility between new and incumbent technologies. In order to verify this interpretation, we use information on the version history of the standards in our dataset. Once a standard is issued, firms adopt it (gradually) and thus replace old vintages of a technology with a new one. In terms of compatibility across vintages, the effect of adopting a standard should depend on whether it is a genuinely new standard or whether it is an upgraded version of an already existing standard. We therefore construct two series, one which excludes upgraded versions of previously released standards from the standard count (“discontinuous”) and one which only consists of upgraded versions (“continuous”). Both series measure technological change; however, we interpret the series of new standards as discontinuous technological change.

Figure 6: IRFs – Discontinuous vs. continuous technologies



*Notes:* Impulse responses to technology shocks identified from data on new standards (discontinuous) and upgraded (continuous) standard versions. Crosses and circles denote that the response is significant at the 16th/84th percentile. The unit of the x-axis is quarters.

Figure 6 displays the reaction to a technology shock deduced from the different standard measures. The shock is normalized to one for better comparison. The response of TFP is less pronounced for standard upgrades (“continuous”). New

standards (“discontinuous”), however, provoke a largely negative and significant reaction of TFP in the short-run, thus providing further support for the interpretation that the slowdown in TFP is related to the fact that a new technology is incompatible with the incumbent one.

Differentiating between discontinuous and continuous technological change also helps to interpret the reaction of investment. In the case of continuous technological change, investment picks up in the short-run, suggesting that the new technology is rapidly integrated into production processes. On the contrary, for discontinuous technological change, we observe that investment only picks up significantly in the medium- to long-run. One interpretation could be that there is considerable “time to implement” as existing production structures need to be adjusted to the new technology and the different applications of the new technology have to be developed. After sufficient time has elapsed during the implementation phase, investment picks up considerably. Once the new technology is installed in capital goods, TFP increases even more than in the case of continuous technological change.

Table 4: FEVDs – Discontinuous vs. continuous innovation

Frequency (quarters)	Discontinuous		Continuous	
	8–32	33–200	8–32	33–200
Output	0.08	0.28	0.02	0.06
Investment	0.08	0.18	0.03	0.10
TFP (adj.)	0.05	0.19	0.02	0.07
Standards	0.75	0.40	0.73	0.10

*Notes:* The table displays the contribution of the discontinuous and continuous technology shocks at business cycle frequencies (8–32 quarters) as well as over the medium- to long-run spectrum (33–200 quarters).

These results are also mirrored in the variance decompositions (table 4). The contribution of the discontinuous technology shock to macroeconomic fluctuations exceeds the one of continuous technological change by a factor of 2 to 4. This holds true for both business cycle and medium- to long-run frequencies.

### 5.3 Technological change and financial markets’ reaction

We explore whether stock market variables react to standardization events. This is motivated by the findings in Beaudry and Portier (2006) who show that stock market variables can capture information about future macroeconomic developments. The previous section showed that the response of macroeconomic variables to the identified technology shock is sluggish. Despite the fact that aggregate responses

only materialize after considerable delay, agents observe the initial shock (the standardization event). We therefore ask whether this information is picked up by stock markets.<sup>18</sup>

In Beaudry and Portier (2006), news about future productivity growth are associated with *positive* innovations in stock market variables. However, in the context of a technology shock as defined in this paper, the *sign* of the reaction of stock market variables is not straightforward. On the one hand, the value of existing capital decreases in response to the emergence of new technologies because the former will be replaced by the latter (Hobijn and Jovanovic, 2001). On the other hand, firms' stock prices not only reflect the value of installed capital, but also the discounted value of future capital, thus incorporating the expected increase in productivity due to technology adoption.<sup>19</sup> If the latter effect dominates, stock markets react positively (Comin *et al.*, 2009).

**VAR analysis.** We therefore add the NASDAQ Composite and S&P 500 indices to the VAR. The latter is added to the VAR as it is commonly used to identify news shocks as in the seminal contribution of Beaudry and Portier (2006). However, since we specifically focus on *technology* shocks, we also add a stock market index that captures developments in the field of technology as the NASDAQ does. They are ordered last as we assume that financial markets are by their very nature forward-looking – contrary to macroeconomic variables which do not react on impact due to implementation lags and slow diffusion. As before, we recover the technology shock from the innovation of the standard series.


Results are displayed in figure 7 which, first of all, shows that the findings from the earlier exercise (i.e. figure 4) are not affected by the inclusion of financial market variables. The impulse responses in figure 7 show that both the S&P 500 as well as the NASDAQ Composite react positively to a technology shock. In particular, the reaction of the NASDAQ Composite, which mainly tracks companies in the technology sector, is more pronounced on impact compared to the response of the more general S&P 500. The reaction of the S&P 500 and NASDAQ Composite indices confirm that financial markets pick up the information about future productivity

---

<sup>18</sup>This exercise is not only interesting due to the conceptual similarity of news shocks and slow technology diffusion, but is also instructive in order to verify if the above results hold in a system which includes forward-looking variables.

<sup>19</sup>For example, Pástor and Veronesi (2009) find that the large-scale adoption of new technologies leads to initial surges in stock prices of innovative firms.

Figure 7: IRFs – Responses to a technology shock



*Notes:* Impulse responses to a technology shock identified from standardization data. The black line represents the median response, the corresponding shaded regions denote the 16th and 84th percentiles of the posterior distribution and dotted lines denote the 5th and 95th percentiles. The unit of the x-axis is quarters.

increases despite the initial decline in TFP and the S-shaped response of output and investment.

The identified shock explains a smaller share of aggregate volatility than typically found in the news shock literature.<sup>20</sup> As before, this is due to the fact that we are isolating a very specific shock which comprises only a subset of the disturbances that news shocks comprise, i.e. news about future productivity growth which are unrelated to technological change that is triggered by standardization.

**Analysis using daily stock market data.** We further investigate the relation between stock markets and standardization by using data at a higher frequency than usual macroeconomic VAR analysis permits. The goal of this exercise is to analyze the evolution of firms' share price around the decisions on standard releases. Such an event study approach, though not without its flaws, is informative about whether stock markets pick up the information contained in standard releases on impact.

We exploit available data on the dates of the plenary meetings of an important SSO, namely 3GPP (3rd Generation Partnership Project). At the plenary meetings,

<sup>20</sup>For example, in Beaudry and Portier (2006) and Barsky and Sims (2011), news shocks account respectively for approximately 40–50% and 10–40% of output fluctuations at horizons of 1 to 10 years.

representatives of all 3GPP member firms vote on fundamental technological decisions and the release of new standards.<sup>21</sup> Prior to the plenary meeting, there is considerable uncertainty regarding the outcome of the vote and the features of the future standard.

We use data on 3GPP meeting dates and participants for the years 2005–2013. In total, 208 plenary meetings were held during that time.<sup>22</sup> We use meeting attendance data to identify the firms that are most involved in 3GPP. To this end, we search for the ten firms that sent the largest number of representatives to plenary and working group meetings<sup>23</sup> and collect daily data on their share prices (end-of-day). We extract the share price evolution of each of the ten firms five days prior and ten days following each meeting start date and normalize the series to unity one day prior to the start of the meeting. We also construct a second similar series for all non-meeting dates and calculate the mean over all non-meeting dates. We then subtract this second series from the share price series for each meeting date. The resulting series is thus normalized to zero one day before the start of the meeting. We do so in order to evaluate to what extent meeting dates generate stock price movements in excess of normal developments, therefore excluding that general trends over 2005–2013 influence the results.

Compared to other event study analyses which investigate the impact of announcements, we have to use a very large window as the plenary meetings at 3GPP last several days and comprise several announcements which cannot be timed precisely. As a consequence, other events might occur within the same time frame. Since we are averaging over 208 meetings, we should *a priori* be able to eliminate these confounding events. However, the distribution of the stock market series around the meeting dates remains skewed which is why we use the median over the 208 meetings to trace out the typical reaction of stock market variables to decisions at 3GPP plenary meetings.

The behavior of share prices before and after the start of a plenary meeting is depicted in figure 8. The vertical line marks the start of the meeting. Plenary meetings typically last three or four days. Figure 8 shows that the average share price fluctuates around its normalized value of zero prior to the meeting. With the onset


---

<sup>21</sup>Proposed technology standards, change requests and technical reports are drafted and discussed in more frequent meetings of smaller working groups. Important technological decisions are however taken at plenary meetings in an open vote.

<sup>22</sup>Plenary meetings are held by Technical Specification Groups, TSGs, of which there are four different ones. As these meetings are often held in parallel, the bootstrapping of the confidence bands is obtained by clustering on the level of the grouped (parallel) dates.

<sup>23</sup>The results do not hinge on the number of firms we include. Results are similar for the top 20, 30, 40 or 50 participants.

Figure 8: Share prices and SSO meetings



*Notes:* The figure displays the median share price of the ten largest firms attending the SSO around the first day of the SSO meeting (vertical line at  $x = 0$ ). The unit of the x-axis is (trading) days. The median is taken over firms' share prices and meeting dates. Share prices are normalized by the value of the price of each share one day prior to the start of the meeting and the mean evolution around non-meeting dates is subtracted from the series, resulting in a normalized value of zero. Confidence bands are obtained using bootstrapping. The black line represents the median, the corresponding shaded regions denote the 16th and 84th percentiles and dotted lines denote the 5th and 95th percentiles.

of the meeting, however, share prices continuously rise. We replicate the analysis using the broader stock market indices NASDAQ and S&P 500. Both indices exhibit a positive response to 3GPP plenary meetings which is very similar to the behavior of the share prices of the ten most involved 3GPP members. Six to seven days after the start of the meeting, stock prices have significantly increased by 0.3–0.5%. The transition after the start of the meeting is very smooth. Most likely, this is due to the fact that meetings last between one and five days. Therefore, the effect of decisions at plenary meetings is not timed identically across all meetings. Overall, the reaction of financial market data shows that important standardization decisions, such as those made during the plenary meetings of 3GPP, disclose information that is relevant to the general economy.

Which forces could explain the overall positive reaction to meeting events despite the fact that a particular firm's preferred standard might not be chosen? In the latter case, it is likely that individual firms' share prices can also react negatively to a particular meeting. The overall positive reaction, however, can be explained by the resolution of uncertainty that the votes at plenary meetings bring about. If investment is irreversible, uncertainty is delaying firms' investment decisions (Bernanke, 1983; McDonald and Siegel, 1986; Pindyck, 1991; Bloom, 2009). A standard that has not yet been voted on will not generate any pick-up in investment as long as the uncertainty about its fate has not been resolved. In the same way, a vote to discard a standard reduces uncertainty and thus leads to a positive reaction by financial markets. We therefore trace out the evolution of the VIX, a measure of uncertainty in financial markets, around 3GPP meetings. As shown in figure 8, the VIX declines with the onset of the meeting and remains significantly below zero after the start of the meeting.



## 6 Extensions


### 6.1 Enlarging the definition of relevant standards

All results presented so far were obtained using a series of ICT standard documents released by US-based SSOs. In this section, we will analyze the robustness of our results by relaxing both the technological and the geographical definitions we used in computing the standard counts.

*First*, the US economy may also respond to standards released by non-US based SSOs, and in particular a number of SSOs with worldwide outreach (e.g. ISO). The most important and most relevant standards issued by these international bodies are generally accredited at US SSOs included in the baseline sample (such as ANSI). Nevertheless, the documents issued by international SSOs largely outnumber standard documents issued by US SSOs and include several well-known and important technology standards in the area of ICT. We therefore compute a combined series counting ICT standards issued by both US and international SSOs. We remove duplicates resulting from multiple accreditations of the same document and always keep only the earliest date of standard release (details in appendix G).

*Second*, technological change in fields outside of, but closely related to ICT might also matter for aggregate volatility. This is for instance the case for the field of electronics, including semiconductors. We therefore construct a series of US standard releases in a wider technological field including information and telecommunication technologies, but also electronics and image technology (ICS classes 31 and 37).

Figure 9: ICT standard series 1975Q1–2011Q4




*Notes:* The series display the number of standard counts per quarter. The left-hand side y-axis corresponds to ICT standards (ICS classes 33–35) as well as ICT and electronics standards (ICS classes 31–37) which were released by US standard setting organizations over the period 1975Q1–2011Q4. The right-hand side corresponds to ICT standards released both by US and international standard setting organizations over the same period.

We plot both these new series against the baseline one (only ICT standards from US SSOs) in figure 9. The plots show that there is a clearly positive correlation of the three series (in part due to the fact that one series includes the other); however, a large number of the spikes between international and US standards do not coincide. The correlation between the ICT standard count and the standard count including both ICT and electronics (both from US SSOs) is stronger than the one between ICT standards from US SSOs only and the ones from all SSOs (international and US).

We use the new standard series to compare the results with the ones obtained in the baseline model. The IRFs from this robustness check are displayed in figure 10. Responses from the baseline model of figure 4 are displayed for comparison and the shock is normalized to one. The IRFs are qualitatively and quantitatively very similar to the results presented so far. We are therefore able to confirm our previous results with data series that include much larger numbers of documents. Results are not sensitive to the extension of the standard count to international SSOs or to a broader technological field.

Figure 10: IRFs – Larger definition of standard counts



*Notes:* Impulse responses to technology shocks identified from standardization data, using different definitions of relevant standards. “US ICT” corresponds to the standard counts in the baseline model. “US+Int ICT” denotes ICT standards (ICS classes 33-35) released both by US and international SSOs. “US ICT+Electronics” comprises ICT and electronics standards (ICS classes 31-37) which were released by US standard setting organizations. Lines represent the median responses to technology shocks identified from standardization data. Crosses and circles denote that the response is significant at the 16th/84th percentile. The unit of the x-axis is quarters.

## 6.2 Weighting standards by their relative importance

Our standard series attributes the same importance to every standard. As a first means to take into account the relative importance of individual standards, we weight standards by the number of references received from ulterior standard documents (forward-references). A standard references another standard if the implementation of the referencing standard necessitates the implementation of the referenced standard. The number of forward-references is thus a good indicator for the number of different

applications in which a standard is used. In order to compare the relevance of standards released at different points in time, we only count the references received within the first four years after the standard release (and accordingly we are able to use standard documents released up to 2011 for this analysis).


A second way to control for the importance of standards is to weight standards by the number of pages. The number of pages is a plausible indicator for the technological complexity of the standard. SSOs and their members have an incentive to keep standards short in order to facilitate implementation. A standard document represents the most restricted description of a technology that suffices to ensure interoperability. Against this background, we hypothesize that more voluminous standard documents describe more complex technologies.

In particular, the two weighting schemes follow Trajtenberg (1990) who constructs citation-weighted patent counts. Similarly, we construct weighted standard counts (WSC):

$$\text{WSC}_t^x = \sum_{i=1}^{n_t} (1 + x_{i,t}) \quad \text{where } x = r, p$$

where  $r$  denotes the number of references and  $p$  denotes the number of pages (divided by 10) per standard  $i$ ;  $n_t$  is the number of standards per quarter  $t$ . This measure thus assigns a value of one to every standard and reference/page.

Figure 11: IRFs – Different weighting schemes



*Notes:* Impulse responses to technology shocks identified from standardization data, using different ways to weight the technological importance of a standard. “Reference-weighted” corresponds to the VAR model where the standard time series is weighted by the number of references of the underlying standard and “page-weighted” corresponds to the weighting scheme using the page number of each standard. For the former, the model is estimated for the period 1975Q1–2009Q3 only. Crosses and circles denote that the response is significant at the 16th/84th percentile. The unit of the x-axis is quarters.

Figure 11 displays the results of the baseline VAR system when ICT standards are replaced by the weighted time series counts (responses from the baseline model of figure 4 are displayed for comparison). As before, we normalize the shock to one for


better comparison. The results show that the dynamics hardly change. A shock to the reference-weighted series provokes a pronounced negative and significant response of TFP in the short-run, before picking up permanently. The response of TFP to innovations in the page-weighted count is significant at short horizons, but in general more muted. Variance decompositions mirror this finding. The contribution of the reference-weighted series is more important than the one using page-weights and even exceeds the ones from the baseline model by a substantial amount: 6–15% of fluctuations of output, investment and TFP at business cycle frequencies and 25–34% at longer frequencies are explained. In general, we find that weighting standard documents by references generates more pronounced dynamics than weighting by pages.

### 6.3 Larger VAR system

The Bayesian VAR approach allows us to include a large number of variables as the complexity of the system is automatically taken care of by the adjustment of the hyperparameter  $\phi_1$ . In order to verify the robustness of our results, we estimate a larger VAR system adding the following variables to the baseline model: consumption of goods and services, hours worked in the business sector, capacity utilization, the relative price of investment in equipment and software as well as the federal funds rate. TFP (adjusted for capacity utilization) is split into TFP in the investment goods sector as well as the consumption goods sector. As in section 5.3, we include stock market indices. We identify the technology shock as before and restrict the system to only allow for a contemporaneous reaction of standards and the stock market indices in response to a technology shock.

The results are displayed in figure 12. We first note that our results from the previous sections also hold in the larger system. The previously found results regarding the reaction of TFP seems to be driven by TFP in the investment sector. Figure 12 shows that the identified technology shock produces comovement of output, hours, consumption and investment. Even if one assumes no contemporary response of main macroeconomic variables due to slow diffusion, wealth effects could lead to a temporary decline in hours worked, investment and output as agents shift towards more consumption in the prospect of higher future productivity (Barsky and Sims, 2011). However, if the implementation of new technologies requires training and investment, a rise in investment and labor *demand* counterbalances the wealth effect on hours worked and output. Regarding the *supply* of labor, it is also conceivable that wealth effects on labor supply are actually nil or very small. This would be the case when Greenwood-Hercowitz-Huffman (GHH) preferences prevail — a point

Figure 12: IRFs – Large model



*Notes:* Impulse responses to a technology shock identified from standardization data. The black line represents the median response, the corresponding shaded regions denote the 16th and 84th percentiles of the posterior distribution and dotted lines denote the 5th and 95th percentiles. The unit of the x-axis is quarters.


stressed by Jaimovich and Rebelo (2009). Intertemporal substitution effects might thus play a smaller role.

The results in figure 12 also demonstrate that a reduction of the relative price of investment and a rise in capacity utilization only occurs in the medium-run. This is in line with our interpretation that standardization kicks off the implementation of the new technology, but it takes time until the new technology can be effectively used for the production of capital goods. Only when the technology has been implemented by a large number of producers can we expect to observe the reaction typically provoked by an IST shock. In particular, the relative price of investment decreases and one observes a higher rate of utilization of existing capital: the marginal utilization cost of installed capital is lowered when its relative value decreases in the light of technologically improved new vintages of capital. In the case of our identified technology shock, we observe these reactions only in the medium-term, thus hinting to the existence of considerable implementation lags after a standardization event.

## 6.4 Annual data

For some of the standards in our dataset, information on the date of release only includes the year, but not the month of the release. In a last step, we want to test whether the fact that we distributed these standards uniformly across the quarters of the respective release year affects our results. We therefore construct annual count data for each of the standard series. We estimate a Bayesian VAR as before, using 3 lags (corresponding to the 12 lags used above for quarterly data) and determining the hyperparameters of the model as described in section 4.

Figure 13: IRFs – Annual data



*Notes:* Impulse responses to a technology shock identified from standardization data. The black line represents the median response, the corresponding shaded regions denote the 16th and 84th percentiles of the posterior distribution and dotted lines denote the 5th and 95th percentiles. The unit of the x-axis is quarters.

The responses from the model estimated with annual data are very similar to the ones from quarterly data. The IRFs of output and investment in figure 13 are clearly S-shaped. Whereas there is practically no reaction of output and investment during the first year following the shock, there is a clear increase in the following 2 years after which this expansion levels off. We also find the same short-term reaction for TFP as before: the IRF 2–3 years after the shock is negative before turning positive thereafter. In the long-run, TFP is increasing markedly.

## 7 Conclusion

This paper analyzes the role of standardization for macroeconomic fluctuations. Its main contribution is to exploit the microeconomic mechanisms of technology adoption for the macroeconomic analysis of technology. The complex interdependencies of various technologies necessitate the coordinated establishment of rules. This process of technological standardization is a crucial element of technology adoption. We therefore use data on standard releases in order to analyze the effect of new technologies on the macroeconomic cycle.

Our results contrast with previous findings and challenge several assumptions on technology that are widely used in macroeconomic research. Business cycle theories generally conceive technology to be an exogenous process. In these models, positive technology shocks translate into movements of macroeconomic variables on impact, in particular into immediate increases in TFP. In this paper, we draw a picture that is more in line with the microeconomic concept of technology: adoption is a discrete decision, various technologies are interconnected, technology diffuses slowly and its effects only materialize after considerable delay.

Although we isolate a very specific shock out of a large collection of shocks that usually constitute “technology” in macroeconomic models, its contribution to aggregate volatility is non-negligible. Yet, the effects are more sizeable at the medium-term horizon than in the short-run. We show that our identified technology shock generates an S-shaped response of output and investment as is typical of technological diffusion. Regarding transitory dynamics, we show that technology shocks can lead to an increase in productivity in the long-run, but the very nature of new technologies (and in particular discontinuous technological change) can cause TFP to decrease in the short-run. We can therefore reconcile the fact that productivity slowdowns are observed in the data with the notion of a technology frontier which increases constantly.

Our results also help to gain insight into the nature of shocks analyzed in the news shock literature. These news shocks are rarely linked to their specific underlying causes. This paper shows that standardization is a trigger of technology diffusion and therefore informs agents about future macroeconomic developments. For this reason, forward-looking variables such as stock market indices, and in particular the NASDAQ Composite index which tracks high-tech companies, can react to a technology shock on impact.


Overall, this paper proposes novel data and concepts originating from the literature on industrial organization and innovation economics to study the macroeconomic implications of technological change. Technology standards provide detailed information on the adoption of new technologies. This paper shows that this information can help opening the black box that technology and productivity often represent in macroeconomics. There are ample opportunities for future research on technological standardization, which will enhance our understanding of the role of technological innovation for both business cycles and growth.

# Appendix

## A Using standard counts as an indicator of technology adoption

One of the most important examples of technology adoption through standardization is mobile phone technology. The development phases of mobile phone technology are generally referred to as first, second, third and fourth generation (1G, 2G, 3G and 4G). Figure 14 illustrates that the count of standard documents measures the bundled adoption of complex technological systems such as the 3G (UMTS) and 4G (LTE) technology standards developed at the SSO 3GPP.<sup>24</sup>

Figure 14: 3G and 4G development and issuance phases



Notes: The time series displays the number of standards released annually by the SSO 3GPP. Dark blue backgrounds and boxes correspond to the issuance phases of 3G (UMTS) and 4G (LTE) technology respectively while the light grey ones correspond to the issuance phases. Data from Hillebrand *et al.* (2013).

The development of a standard generation occurs over approximately ten years. During the development phase, a large number of incremental technological choices are made at the SSO, and many different companies invent and often patent thousands of technological solutions for different aspects of the future standard. For example, the 3G standard family UMTS comprises over 1200 declared essential patents held by 72 firms (Bekkers and West, 2009). The issuance of the new standard generations eventually occurs over a relatively short period. The peak in the number of standard documents released at 3GPP coincided with the first steps that aimed at

<sup>24</sup>Long Term Evolution (LTE) is one among several 4G standard families that competed to succeed the 3G standard family Universal Mobile Telecommunication System (UMTS). ETSI, the European Telecommunications Standards Institute, is part of the 3rd Generation Partnership Project (3GPP), an alliance of six mobile telecommunications technology SSOs, since December 1998.



market introduction of 3G and 4G respectively. The issuance of each new generation irreversibly defines fundamental technological characteristics of the new technology. This is a prerequisite for the first deployment of telecommunication networks implementing the new standard and the first mass market sales of new generation mobile phones.

## B Variance decompositions in the frequency domain

This appendix describes the computation of the variance decompositions in the frequency domain. We largely follow the notation of Altig *et al.* (2005) who analyze the quantitative impact of various shocks on the cyclical properties of macroeconomic variables.

The structural moving-average representation of  $Y_t$  is

$$Y_t = D(L)\varepsilon_t \quad \text{where} \quad D(L) = \sum_{k=0}^{\infty} D_k L^k$$

where  $L$  represents the lag operator. Inverting  $D(L)$  yields:

$$F(L)Y_t = \varepsilon_t \quad \text{where} \quad F(L) = B_0 - \sum_{k=1}^{\infty} B_k L^k = B_0 - B(L)$$

$$B_0 Y_t = B_1 Y_{t-1} + B_2 Y_{t-2} + \dots + \varepsilon_t$$

The reduced-form VAR model

$$Y_t = A(L)Y_t + u_t \quad \text{where} \quad E[u_t u_t'] = \Sigma \quad \text{and} \quad A(L) = \sum_{k=1}^{\infty} A_k L^k$$

relates to the structural representation as follows:

$$\begin{aligned} Y_t &= (B_0)^{-1} B(L) Y_t + (B_0)^{-1} \varepsilon_t \\ &= A(L) Y_t + u_t \quad \text{where} \quad A(L) = (B_0)^{-1} B(L) \quad \text{and} \quad u_t = (B_0)^{-1} \varepsilon_t \\ &= [I - A(L)]^{-1} C C^{-1} u_t \quad \text{where} \quad C = (B_0)^{-1} \\ &= [I - A(L)]^{-1} C \varepsilon_t \quad \text{where} \quad \varepsilon_t = C^{-1} u_t \quad \text{and} \quad E[\varepsilon_t \varepsilon_t'] = B_0 \Sigma B_0' = I \end{aligned}$$

In practice, a VAR of lag order  $p$  is estimated; hence, the infinite-order lag polynomial  $A(L)$  is approximated by a truncated version  $\sum_{k=1}^p A_k L^k$  of order  $p$ . The matrix  $B_0$  maps the reduced-form shocks into their structural counterparts. Identification of the structural shocks can be achieved using various strategies such as short-run and

long-run restrictions. Using a recursive Cholesky identification scheme, the variance-covariance matrix of residuals of the reduced-form VAR,  $\Sigma$ , can be decomposed in order to restrict the matrix  $C$ :

$$\Sigma = CC' \quad \text{and} \quad C = \text{chol}(\Sigma)$$

The variance of  $Y_t$  can be defined in the time domain:

$$E[Y_t Y_t'] = [I - A(L)]^{-1} CC' [I - A(L)']^{-1}$$

Deriving its equivalent representation in the frequency domain requires the use of spectral densities. The spectral density of the vector  $Y_t$  is given by:

$$S_Y(e^{-i\omega}) = [I - A(e^{-i\omega})]^{-1} CC' [I - A(e^{-i\omega})']^{-1}$$

The spectral density due to shock  $\varepsilon_{t,j}$  is equivalently:

$$S_{Y,j}(e^{-i\omega}) = [I - A(e^{-i\omega})]^{-1} C I_j C' [I - A(e^{-i\omega})']^{-1}$$

where  $I_j$  is a square matrix of zeros with dimension equal to the number of variables and the  $j$ -th diagonal element equal to unity. The term  $A(e^{-i\omega})'$  denotes the transpose of the conjugate of  $A(e^{-i\omega})$ . We are interested in the share of the forecast error variance of variable  $Y_{k,t}$  which can be explained by shock  $\varepsilon_{t,j}$ . The respective variances are restricted to a certain frequency range  $[a, b]$ . The ratio of variances to be maximized is then:

$$V_{k,j} = \iota_k' \frac{\int_a^b S_{Y,j}(e^{-i\omega}) d\omega}{\int_a^b S_Y(e^{-i\omega}) d\omega} \iota_k$$

where  $\iota_k$  is a selection vector of zeros and the  $k$ -th element equal to unity. For business cycle frequencies with quarterly data, the frequency range  $a = \frac{2\pi}{32}$  and  $b = \frac{2\pi}{8}$  is used. The integral can be approximated by

$$\frac{1}{2\pi} \int_{-\pi}^{\pi} S(e^{-i\omega}) d\omega \approx \frac{1}{N} \sum_{k=-\frac{N}{2}+1}^{\frac{N}{2}} S(e^{-i\omega_k}) \quad \text{where} \quad \omega_k = \frac{2\pi k}{N}$$

for a sufficiently large value of  $N$ . The contribution of shock  $\varepsilon_j$  to the forecast error variance of variable  $Y_{t,k}$  at certain frequencies is consequently determined by:

$$V_{k,j} = l'_k \frac{\sum_{k=N/a}^{N/b} S_{Y,j}(e^{-i\omega_k})}{\sum_{k=N/a}^{N/b} S_Y(e^{-i\omega_k})} l_k$$

### C Details on the BVAR with a Normal-Wishart prior

This appendix describes the estimation procedure used throughout the paper. The reduced-form VAR system can be written as follows:

$$\begin{aligned} Y_t &= X_t A + u_t \quad \text{where} \quad E[u_t u_t'] = \Sigma \\ u_t &\sim \mathcal{N}(0, \Sigma) \\ \text{vec}(u_t) &\sim \mathcal{N}(0, \Sigma \otimes I_{T-p}) \end{aligned}$$

$X_t$  comprises the lagged variables of the VAR system and  $A$  denotes the coefficient matrix. The Normal-Wishart conjugate prior assumes the following moments:

$$\begin{aligned} \Sigma &\sim \mathcal{IW}(\Psi, d) \\ \alpha = \text{vec}(A) \mid \Sigma &\sim \mathcal{N}(a, \Sigma \otimes \Omega) \end{aligned}$$

The prior parameters  $a$ ,  $\Omega$ ,  $\Psi$  and  $d$  are chosen to ensure a Minnesota prior structure. The literature has usually set the diagonal elements of  $\Psi$ ,  $\psi_i$ , proportional to the variance of the residuals of a univariate  $AR(p)$  regression:  $\psi_i = \sigma_i^2(d - k - 1)$  where  $k$  denotes the number of variables. This ensures that  $E(\Psi) = \text{diag}(\sigma_1^2, \dots, \sigma_k^2)$  which approximates the Minnesota prior variance. Following Giannone *et al.* (2014), one can treat the diagonal elements of  $\Psi$  as hyperparameters in order to ensure that a maximum of the prior parameters is estimated in a data-driven way. For the Wishart prior to be proper, the degrees of freedom parameter,  $d$ , must be at least  $k + 2$  which is why we set  $d = k + 2$ .

This paper generalizes the Minnesota approach by allowing for a variable-specific lag decay  $\phi_{4,j}$ . It can be shown that a Minnesota prior structure with variable-specific lag decay is imposed if the diagonal elements of  $\Omega$  are set to  $(d - k - 1)\phi_1 / (l^{\phi_{4,j}} \psi_j)$ . As a result, the prior structure writes as follows:

$$\alpha_{ijl} \mid \Sigma \sim \mathcal{N}\left(a_{ijl}, \frac{\phi_1 \psi_i}{l^{\phi_{4,j}} \psi_j}\right) \quad \text{with} \quad a_{ijl} = \begin{cases} \delta_i & \text{if } i = j \text{ and } l = 1 \\ 0 & \text{otherwise} \end{cases}$$

The above expression shows that the Normal-Wishart prior maps into a Minnesota design with the particularity of  $\phi_2$  being equal to one and  $\phi_{4,j}$  being variable-specific. We have to impose  $\phi_2 = 1$  due to the Kronecker structure of the variance-covariance matrix of the prior distribution which imposes that all equations are treated symmetrically; they can only differ by the scale parameter implied by  $\Sigma$  (see Kadiyala and Karlsson, 1997; Sims and Zha, 1998). As a corollary, the lag decay parameter  $\phi_{4,j}$  can be specific to variable  $j$ , but cannot differ by equation  $i$ .

Since the prior parameters  $a$ ,  $\Omega$ ,  $\Psi$  and  $d$  are set in a way that they coincide with the moments implied by the Minnesota prior, they thus depend on a set of hyperparameters  $\Theta$  which comprises  $\phi_1$ ,  $\phi_{4,j}$  and  $\psi_i$  ( $\phi_2$  and  $\phi_3$  are fixed). Integrating out the uncertainty of the parameters of the model, the marginal likelihood conditions on the hyperparameters  $\Theta$  that define the prior moments. Maximizing the marginal likelihood with respect to  $\Theta$  is equivalent to an Empirical Bayes method (Canova, 2007; Giannone *et al.*, 2014) where parameters of the prior distribution are estimated from the data. The marginal likelihood is given by

$$p(Y) = \int \int p(Y | \alpha, \Sigma) p(\alpha | \Sigma) p(\Sigma) d\alpha d\Sigma$$

and analytical solutions are available for the Normal-Wishart family of prior distributions (see Giannone *et al.*, 2014 for an expression and a detailed derivation).

Maximizing the marginal likelihood (or its logarithm) yields the optimal vector of hyperparameters:

$$\Theta^* = \arg \max_{\Theta} \ln p(Y)$$

Giannone *et al.* (2014) adopt a more flexible approach by placing a prior structure on the hyperparameters themselves. The procedure used in this paper, however, is equivalent to imposing a flat hyperprior on the model.

We implement a Normal-Wishart prior where the prior mean and variance is specified as in the original Minnesota prior and we simulate the posterior using the Gibbs sampler.<sup>25</sup> More specifically, the prior is implemented by adding dummy

---

<sup>25</sup>The original Minnesota prior assumes that the variance-covariance matrix of residuals is diagonal. This assumption might be appropriate for forecasting exercises based on reduced-form VARs, but runs counter to the standard set-up of structural VARs (Kadiyala and Karlsson, 1997). Moreover, impulse response analysis requires the computation of non-linear functions of the estimated coefficients. Thus, despite the fact that analytical results for the posterior of the Minnesota prior are available, numerical simulations have to be used.

observations to the system of VAR equations (Sims and Zha, 1998). The weight of each of the dummies corresponds to the respective prior variance.

## D Implementing block exogeneity

In section 5, we implement a block exogeneity VAR where we add series of investment components one by one to the baseline VAR. The purpose of this exercise is to ensure that the technology shock is identified as in the baseline model. This appendix describes the estimation procedure which follows Zha (1999).

We start from the structural representation of the VAR model:

$$F(L)Y_t = \varepsilon_t \quad \text{where} \quad F(L) = B_0 - B(L)$$

The structural model can be split in several blocks. Since we are working with two blocks in section 5, the following illustration concentrates on this case; but the exposition also holds for the general case of several blocks (see Zha, 1999).

$$\begin{pmatrix} F_{11}(L) & F_{12}(L) \\ F_{21}(L) & F_{22}(L) \end{pmatrix} \begin{pmatrix} Y_{1t} \\ Y_{2t} \end{pmatrix} = \begin{pmatrix} \varepsilon_{1t} \\ \varepsilon_{2t} \end{pmatrix}$$

The above model can be normalized by premultiplying it with the block-diagonal matrix of the contemporaneous impact coefficients:

$$\begin{pmatrix} B_{0,11}^{-1} & 0 \\ 0 & B_{0,22}^{-1} \end{pmatrix} \begin{pmatrix} F_{11}(L) & F_{12}(L) \\ F_{21}(L) & F_{22}(L) \end{pmatrix} \begin{pmatrix} Y_{1t} \\ Y_{2t} \end{pmatrix} = \begin{pmatrix} B_{0,11}^{-1} & 0 \\ 0 & B_{0,22}^{-1} \end{pmatrix} \begin{pmatrix} \varepsilon_{1t} \\ \varepsilon_{2t} \end{pmatrix}$$

The variance of the normalized error terms is block-orthogonal with block-diagonal entries (for  $i = 1, 2$ ):

$$\Sigma_{ii} = (B_{0,ii}^{-1}) (B_{0,ii}^{-1})'$$

Replace  $F(L) = B_0 - B(L)$  in the normalized VAR system:

$$\begin{aligned} & \begin{pmatrix} B_{0,11}^{-1} & 0 \\ 0 & B_{0,22}^{-1} \end{pmatrix} \begin{pmatrix} B_{0,11} - B_{11}(L) & B_{0,12} - B_{12}(L) \\ B_{0,21} - B_{21}(L) & B_{0,22} - B_{22}(L) \end{pmatrix} \begin{pmatrix} Y_{1t} \\ Y_{2t} \end{pmatrix} \\ &= \begin{pmatrix} B_{0,11}^{-1} & 0 \\ 0 & B_{0,22}^{-1} \end{pmatrix} \begin{pmatrix} \varepsilon_{1t} \\ \varepsilon_{2t} \end{pmatrix} \end{aligned}$$

Each block then writes as:

$$B_{0,ii}^{-1} \begin{bmatrix} B_{0,ii} - B_{ii}(L) & B_{0,ij} - B_{ij}(L) \end{bmatrix} \begin{pmatrix} Y_{it} \\ Y_{jt} \end{pmatrix} = B_{0,ii}^{-1} \varepsilon_{it}$$

$$[I - B_{0,ii}^{-1} B_{ii}(L)] Y_{it} + [B_{0,ii}^{-1} B_{0,ij} - B_{0,ii}^{-1} B_{ij}(L)] Y_{jt} = B_{0,ii}^{-1} \varepsilon_{it}$$

If there is block recursion (defined as a lower triangular Cholesky decomposition), i.e. block j (2) does not impact block i (1) contemporaneously, we have  $B_{0,ij} = 0$ :

$$[I - B_{0,ii}^{-1} B_{ii}(L)] Y_{it} - B_{0,ii}^{-1} B_{ij}(L) Y_{jt} = B_{0,ii}^{-1} \varepsilon_{it}$$

If, in addition there is block exogeneity, i.e. block j (2) does not impact block i (1) at any horizon, we have  $B_{0,ij} = 0$  and  $B_{ij}(L) = 0$ :

$$[I - B_{0,ii}^{-1} B_{ii}(L)] Y_{it} = B_{0,ii}^{-1} \varepsilon_{it}$$

If block 2 does not impact block 1 at any horizon ( $B_{0,12} = 0$  and  $B_{12}(L) = 0$ ), the two blocks can be estimated separately. Block 1 consists in regressing contemporaneous values of the variables in block 1 on their lagged values:

$$Y_{1t} = B_{0,11}^{-1} B_{11}(L) Y_{1t} + B_{0,11}^{-1} \varepsilon_{1t}$$

Block 2 consists in regressing contemporaneous values of the variables in block 2 on lagged values of all variables, but also on contemporaneous values of the variables in block 2:

$$Y_{2t} = B_{0,22}^{-1} B_{22}(L) Y_{2t} + [B_{0,22}^{-1} B_{21}(L) - B_{0,22}^{-1} B_{0,21}] Y_{1t} + B_{0,22}^{-1} \varepsilon_{2t}$$

Due to the block-recursive structure of the model, there is a one-to-one mapping between  $B_{0,ii}$  and  $\Sigma_{ii}$ . We therefore employ a Gibbs sampler to alternately draw  $\Sigma_{ii}$  from an inverted Wishart distribution and the reduced form coefficients from a normal distribution. The structural parameters can be recovered from the reduced form model by the direct mapping via  $B_{0,ii}$ . In particular, the estimate of the contemporaneous impact matrix,  $B_{0,21}$ , can be retrieved from its reduced-form estimate,  $B_{0,22}^{-1} B_{0,21}$ , by premultiplication with  $B_{0,22}$ . As described in appendix C, we also implement an informative prior for the BVAR with block exogeneity. The Minnesota prior moments are chosen similarly to the baseline model.

Since the purpose of imposing block exogeneity is to identify the same technology shock across all models which only differ in the sectoral investment variable that is

added to the system, we fix the hyperparameters for block 1, i.e.  $\phi_1$ ,  $\phi_{4,j}^{(1)}$  and  $\psi_i^{(1)}$ , where the superscript refers to the variables in block 1, to the estimates from the baseline model and estimate the remaining parameters,  $\phi_{4,j}^{(2)}$  and  $\psi_i^{(2)}$ , via the empirical Bayes method described in appendix C. Given that  $\phi_1$ ,  $\phi_{4,j}^{(1)}$  and  $\psi_i^{(1)}$  are fixed in this set-up, we maximize the logarithm of the marginal likelihood corresponding to the second block to find the values of  $\phi_{4,j}^{(2)}$  and  $\psi_i^{(2)}$ .

## E Non-fundamentalness in VAR representations

The implications of slow technology diffusion pose macroeconometric challenges which require the use of meaningful information about technology adoption (Lippi and Reichlin, 1993; Leeper *et al.*, 2013). This problem is known as non-fundamentalness and described in this appendix. Consider a Wold representation for  $Y_t$ :

$$Y_t = K(L)u_t \quad \text{where} \quad E[u_t u_t'] = \Sigma$$

where  $K(L)$  is a lag polynomial. This moving average representation is not unique as shown by Hansen and Sargent (1991a). *First*, one can obtain an observationally equivalent representation by finding a matrix which maps the reduced-form errors into structural ones:

$$Y_t = K(L)CC^{-1}u_t = D(L)\varepsilon_t$$

Defining the structural shocks as  $\varepsilon_t = C^{-1}u_t$  and the propagation matrix as  $D(L) = K(L)C$ , the above transformation is concerned with the well-known problem of *identification*. Knowledge or assumptions about the structure of the matrix  $C$ , motivated by economic theory, helps recovering the structural shocks. A *second* form of non-uniqueness, non-fundamentalness, is hardly ever discussed in empirical applications, but is as important as identification. As discussed in Hansen and Sargent (1991a,b), there exist other moving-average representations such as:

$$Y_t = \bar{K}(L)\bar{u}_t \quad \text{where} \quad E[\bar{u}_t \bar{u}_t'] = \bar{\Sigma}$$

Formally speaking, both Wold representations express  $Y_t$  as a *linear* combination of past and current shocks ( $u_t$  or  $\bar{u}_t$  respectively) which is why their first and second moments coincide.  $K(L)$  and  $\bar{K}(L)$  and the corresponding white noise processes produce the same autocovariance-generating function:

$$\bar{K}(z)\bar{\Sigma}\bar{K}(z^{-1}) = K(z)\Sigma D(z^{-1})$$

Though both the Wold representations of  $Y_t$  in terms of  $u_t$  and  $\bar{u}_t$  display the same autocovariance structure, the interpretation of  $u_t$  and  $\bar{u}_t$  is not the same. In particular, if the space spanned by  $\bar{u}_t$  is larger than the one spanned by  $Y_t$ , the structural shocks cannot be recovered from *past* and *current* observations of  $Y_t$ . In this case, knowing  $Y_t$  is not enough to identify  $\varepsilon_t$ , independently of the identification assumptions in  $C$ . We then say that the Wold representation is not fundamental: the polynomial  $\bar{K}(L)$  has at least one root inside the unit circle and is thus not invertible.

Non-fundamentalness can arise in models of slow technology diffusion or news shocks. For example, in the specific case of Lippi and Reichlin (1993), non-fundamentalness arises as learning-by-doing dynamics lead to a delayed increase in productivity following a technology shock. Recently, the news shock literature has reconsidered the issue of non-fundamentalness. Shocks are pre-announced, be it due to fiscal foresight (Leeper *et al.*, 2013) or due to news about future productivity (Fève *et al.*, 2009; Leeper and Walker, 2011). Whenever the pre-announcement of shocks is observed by economic agents but not by the econometrician, VAR representations can be plagued by non-fundamentalness.

In a nutshell, there are two ways to solve the non-fundamentalness problem. The first one consists in modelling information flows directly which involves making very strong assumptions about time lags and functional forms of diffusion processes (i.e.  $\bar{K}(L)$ ) or the way news shocks materialize. The second one is about using direct measures of news or diffusion which is the approach taken in this paper.



## F Data sources

Variable	Description	Source	Details
Standards	Number of standards released by American standard setting organizations	Searle Center database	
Output	Output in business sector (BLS ID: PRS84006043)	Bureau of Labor Statistics (BLS)	Index (2009=100), seasonal and per capita adjustment
Investment	Real private fixed investment (NIPA table 5.3.3 line 1)	Bureau of Economic Analysis (BEA)	Index (2009=100), seasonal and per capita adjustment
Types of investment	Equipment	Bureau of Economic Analysis (BEA) NIPA table 5.3.3 lines 9–19	Index (2009=100), seasonal and per capita adjustment
	Information processing equipment		
	Computers and peripheral equipment		
	Other equipment		
	Industrial equipment		
	Transportation equipment		
	Other equipment		
	Intellectual property products		
	Software		
	Research and development		
	Entertainment, literary, and artistic originals		
Consumption (Real personal consumption)	Consumption expenditures for goods and services (NIPA table 2.3.3 line 1)	Bureau of Economic Analysis (BEA)	Index (2009=100), seasonal and per capita adjustment
Hours	Hours worked in business sector (BLS ID: PRS84006033)	Bureau of Labor Statistics (BLS)	Index (2009=100), seasonal and per capita adjustment
Total factor productivity	Capacity utilization adjusted total factor productivity (based on data from business sector)	John Fernald (San Francisco Fed)	Index (1947 = 100)
	Capacity utilization adjusted total factor productivity in “investment sector” (equipment and consumer durables)		
	Capacity utilization adjusted total factor productivity in “consumption sector” (non-equipment)		
Stock market indices	S&P 500	Datastream	Deflated, per capita adjustment
	NASDAQ Composite Index		
Capacity utilization	Capacity utilization, total index	Federal Reserve Board	Index in %, seasonal adjustment
Relative price of investment	Price of investment in equipment (NIPA table 5.3.4 line 9) divided by the price index for personal consumption expenditures for non-durable goods (NIPA table 2.3.4 line 8)	Bureau of Economic Analysis (BEA)	Indices (2009=100), seasonal adjustment
Federal funds rate	Federal fund effective rate	Federal Reserve Board	In %
Population	Civilian noninstitutional population over 16 (BLS ID: LNU00000000Q)	Bureau of Labor Statistics (BLS)	In hundreds of millions
Price deflator	Implicit price deflator of GDP in the business sector (BLS ID: PRS84006143)	Bureau of Labor Statistics (BLS)	Index (2009=100), seasonal adjustment
Share prices	Individual firms’ share prices	Bloomberg	End-of-day prices

## G Construction of standards data

We obtain information on standard releases from the Searle Center database on technology standards and SSOs (Baron and Spulber, 2016). The Searle Center database draws information from various sources, including PERINORM, IHS Standards Store, DocumentCenter and the websites of various SSOs. PERINORM is a database with bibliometric information on standards, which is hosted by the national SSOs of France, Germany and the UK, but also includes information on standards issued by a large number of other organizations. In particular, PERINORM provides data on standards issued by 20 of the most relevant SSOs in the US. PERINORM comprises detailed bibliographic information on more than 1,500,000 standard documents. IHS Standards Store and DocumentCenter are online stores offering standard documents for sale. The websites provide free access to bibliometric information on standards, such as title, technological class, publication date, references and the identity of the issuing SSO. IHS Standards Store and Document Center provide this information for the standards issued by more than 600 SSOs. In addition to these sources, the Searle Center database uses data directly obtained from several of the most relevant SSOs, including 3GPP (3rd Generation Partnership Project) and IETF (Internet Engineering Task Force).

The initial dataset comprises standard documents issued by a US (469,859 documents) or international SSO (308,798 documents). The first standard release in our database dates back to 1906. For each standard, we retrieve (when available) the identity of the issuing SSO, the date of standard release, references to other standards, equivalence with other standards, version history (information on preceding or succeeding versions), number of pages and the technological classification.

In a first step, we restrict the sample to standard documents issued by an organization with the country code “US”. This results in a list of 474 SSOs. Our sample includes the most established formal SSOs, such as the American Society for Testing and Materials (60,653 standard documents), the American National Standards Institute (37,390 standards documents), and the Society of Automotive Engineers (23,803 standards documents).<sup>26</sup> In addition, our dataset includes a large number of smaller SSOs and consortia. Our sample consists in both standards that are originally produced by one of these 474 organizations and in standards produced by other organizations, but receiving official accreditation from one of

---

<sup>26</sup>While the American National Standards Institute (ANSI) does not develop standards itself, standards developed by SSOs accredited by ANSI are often co-published by the developing SSO and ANSI.

these organizations. Several standards receive accreditation from more than one organization in our sample. We use information on the equivalence between standard documents to remove duplicates (always keeping the earliest accreditation/release of a standard in the sample).

Many important international standards enter the sample when they receive accreditation by an American SSO. It is e.g. very common that international standards developed at the International Organization for Standardization (ISO) or the International Telecommunication Union (ITU) are published as *American Standards* by a US SSO. Other international standards can however also be directly relevant to the US economy. We therefore carry out a second analysis covering also standard documents issued by international organizations (such as ISO). Once again, we remove duplicates using information on standard equivalence. If a standard was first developed by an international SSO and eventually accredited by a US SSO, the standard is included only once, but the standard release date for this analysis is defined as the date of publication at the international SSO, whereas it is the date of publication at the US SSO in the analysis using only US standards.

Including standards from international standards bodies allows for instance covering many of the most relevant 3G and 4G mobile telecommunication standards applying in the US. Many of these standards were set in a worldwide effort in the Third Generation Partnership Project (3GPP). The World Administrative Telegraph and Telephone Conference (WATTC) in 1988 aimed at the international harmonization of telecommunication standards and led to the inclusion of a large number of already existing national standards in the ITU standard catalogue. These standards do not represent the adoption of new technology. We therefore exclude standards that were released by ITU in the fourth quarter of 1988 and that were released in the ICS classes 33.020 (“Telecommunications in general”) and 33.040 (“Telecommunication systems”).

In a second step, we restrict the sample by technological field. We rely upon the International Classification of Standards (ICS)<sup>27</sup>. We concentrate on the field of information and communication technologies (ICT), which we define as standard documents in the ICS classes 33 (“Telecommunication, Audio and Video Engineering”) and 35 (“Information Technology, Office Machines”). Standards in these ICS classes are the most closely related to technological innovation.<sup>28</sup> We also perform analyses

---

<sup>27</sup>For more details, see the below table A1 and <http://www.iso.org/iso/ics6-en.pdf>.

<sup>28</sup>For instance, standards in these classes account for 98% of all declared standard-essential patents (Baron *et al.*, 2013).

on a wider definition of ICT, including ICS classes 31 (“Electronics”) and 37 (“Image Technology”).

We count the number of standard documents released per quarter. In several cases, the Searle Center database only includes information on the year, but not the month of standard release. For the series containing standards from US SSOs only (“US”), we have information on both the quarter and the year of release for 43% of the standards in the period 1975Q1–2011Q4. For the series which contains both standards from US and international SSOs (“US+Int”), this information is available for 90% of all standards. For the remainder of the standards, only the year of release is known to us. In order to adjust our final series, we distribute the remaining documents uniformly over the quarters of the year.

In section 5.2, we distinguish between new and upgraded standards. A standard upgrade is a new version replacing an older version of the same standard. We thus identify all standard documents which replace a preceding version of the same standard and those which constitute genuinely new standards.

Standards differ significantly in their economic and technological importance. In order to account for this heterogeneity, we implement different weighting methods in section 6.2. *First*, we weight the number of documents by the number of times a standard is referenced by ulterior standard documents. In order to compare standards released at different points in time, we only count the references received within the first four years after the standard release (and accordingly we are able to use standard documents released up to 2011 for this analysis). We choose a window of four years, because the yearly rate of incoming references is highest in the first four years after the release. About one half of all standard references are made within the first four years after release. *Second*, we weight standard documents by the number of pages. For each standard document, we observe the number of pages from the Searle Center database. In the case where such information is not available for a standard, we use the average number of pages by quarter and ICS class computed from all those standards where such information is available.

Table A1: International classification of standards (ICS)

ICS class	Description
1	Generalities. Terminology. Standardization. Documentation.
3	Services. Company organization, management and quality. Administration. Transport. Sociology.
7	Mathematics. Natural sciences.
11	Health care technology.
13	Environment. Health protection. Safety.
17	Metrology and measurement. Physical phenomena.
19	Testing.
21	Mechanical systems and components for general use.
23	Fluid systems and components for general use.
25	Manufacturing engineering.
27	Energy and heat transfer engineering.
29	Electrical engineering.
31	Electronics.
33	Telecommunications. Audio and video engineering.
35	Information technology. Office machines.
37	Image technology.
39	Precision mechanics. Jewelry.
43	Road vehicles engineering.
45	Railway engineering.
47	Shipbuilding and marine structures.
49	Aircraft and space vehicle engineering.
53	Materials handling equipment.
55	Packaging and distribution of goods.
59	Textile and leather technology.
61	Clothing industry.
65	Agriculture.
67	Food technology.
71	Chemical technology.
73	Mining and minerals.
75	Petroleum and related technologies.
77	Metallurgy.
79	Wood technology.
81	Glass and ceramics industries.
83	Rubber and plastic industries.
85	Paper technology.
87	Paint and colour industries.
91	Construction materials and building.
93	Civil engineering.
95	Military engineering.
97	Domestic and commercial equipment. Entertainment. Sports.
99	(No title)

*Source:* International Organization for Standards (2005)

## References

- Acemoglu, Daron, Gino Gancia and Fabrizio Zilibotti (2012): Competing Engines of Growth: Innovation and Standardization. *Journal of Economic Theory*, 147(2), pp. 570–601.
- Aggarwal, Nitin, Qizhi Dai and Eric Walden (2011): The More the Merrier? How the Number of Partners in a Standard-Setting Initiative affects Shareholders' Risk and Return. *MIS Quarterly*, 35(2), pp. 445–462.
- Akcigit, Ufuk and William R. Kerr (2016): Growth Through Heterogeneous Innovations. *Journal of Political Economy*. Forthcoming.
- Alexopoulos, Michelle (2011): Read All about It!! What Happens Following a Technology Shock? *American Economic Review*, 101(4), pp. 1144–1179.
- Altig, David, Lawrence Christiano, Martin Eichenbaum and Jesper Lindé (2005): Technical Appendix to “Firm-Specific Capital, Nominal Rigidities and the Business Cycle”. Technical Appendices No. 09-191, Review of Economic Dynamics.
- Baron, Justus, Tim Pohlmann and Knut Blind (2013): Essential Patents and Standard Dynamics. Mimeo.
- Baron, Justus and Daniel Spulber (2016): Technology Standards and Standards Organizations: An Introduction to the Searle Center Database. Mimeo.
- Barsky, Robert B. and Eric R. Sims (2011): News Shocks and Business Cycles. *Journal of Monetary Economics*, 58(3), pp. 273–289.
- Basu, Susanto and John G. Fernald (2008): Information and Communications Technology as a General Purpose Technology: Evidence from U.S. Industry Data. *Federal Reserve Bank of San Francisco Economic Review*, pp. 1–15.
- Basu, Susanto, John G. Fernald and Miles S. Kimball (2006): Are Technology Improvements Contractionary? *American Economic Review*, 96(5), pp. 1418–1448.
- Beaudry, Paul and Franck Portier (2006): Stock Prices, News, and Economic Fluctuations. *American Economic Review*, 96(4), pp. 1293–1307.
- Bekkers, Rudi and Joel West (2009): The Limits to IPR Standardization Policies as Evidenced by Strategic Patenting in UMTS. *Telecommunications Policy*, 33(1-2), pp. 80–97.
- Bernanke, Ben S (1983): Irreversibility, Uncertainty, and Cyclical Investment. *The Quarterly Journal of Economics*, 98(1), pp. 85–106.
- Bloom, Nicholas (2009): The Impact of Uncertainty Shocks. *Econometrica*, 77(3), pp. 623–685.
- Canova, Fabio (2007): *Methods for Applied Macroeconomic Research*. Princeton University Press.
- Canova, Fabio, David Lopez-Salido and Claudio Michelacci (2010): The Effects of Technology Shocks on Hours and Output: A Robustness Analysis. *Journal of Applied Econometrics*, 25(5), pp. 755–773.
- Carriero, Andrea, Todd Clark and Massimiliano Marcellino (2014): Bayesian VARs: Specification Choices and Forecast Accuracy. *Journal of Applied Econometrics*, forthcoming.

- Chari, V. V. and Hugo Hopenhayn (1991): Vintage Human Capital, Growth, and the Diffusion of New Technology. *Journal of Political Economy*, 99(6), pp. 1142–65.
- Chiao, Benjamin, Josh Lerner and Jean Tirole (2007): The rules of standard-setting organizations: an empirical analysis. *The RAND Journal of Economics*, 38(4), pp. 905–930.
- Comin, Diego, Mark Gertler and Ana Maria Santacreu (2009): Technology Innovation and Diffusion as Sources of Output and Asset Price Fluctuations. NBER Working Paper No. 15029, National Bureau of Economic Research.
- Cooley, Thomas F., Jeremy Greenwood and Mehmet Yorukoglu (1997): The Replacement Problem. *Journal of Monetary Economics*, 40(3), pp. 457–499.
- Farrell, Joseph and Garth Saloner (1985): Standardization, Compatibility, and Innovation. *RAND Journal of Economics*, 16(1), pp. 70–83.
- Farrell, Joseph and Garth Saloner (1986): Installed Base and Compatibility: Innovation, Product Preannouncements, and Predation. *American Economic Review*, 76(5), pp. 940–955.
- Fève, Patrick and Ahmat Jidoud (2012): Identifying News Shocks from SVARs. *Journal of Macroeconomics*, 34(4), pp. 919–932.
- Fisher, Jonas D. M. (2006): The Dynamic Effects of Neutral and Investment-Specific Technology Shocks. *Journal of Political Economy*, 114(3), pp. 413–451.
- Fève, Patrick, Julien Matheron and Jean-Guillaume Sahuc (2009): On the Dynamic Implications of News Shocks. *Economics Letters*, 102(2), pp. 96–98.
- Galí, Jordi (1999): Technology, Employment, and the Business Cycle: Do Technology Shocks Explain Aggregate Fluctuations? *American Economic Review*, 89(1), pp. 249–271.
- Giannone, Domenico, Michele Lenza and Giorgio E. Primiceri (2014): Prior Selection for Vector Autoregressions. *Review of Economics and Statistics*, forthcoming.
- Greenwood, Jeremy, Zvi Hercowitz and Gregory W. Huffman (1988): Investment, Capacity Utilization, and the Real Business Cycle. *American Economic Review*, 78(3), pp. 402–417.
- Greenwood, Jeremy, Zvi Hercowitz and Per Krusell (2000): The Role of Investment-Specific Technological Change in the Business Cycle. *European Economic Review*, 44(1), pp. 91–115.
- Greenwood, Jeremy and Mehmet Yorukoglu (1997): 1974. *Carnegie-Rochester Conference Series on Public Policy*, 46(1), pp. 49–95.
- Griliches, Zvi (1957): Hybrid Corn: An Exploration in the Economics of Technological Change. *Econometrica*, 25(4), pp. 501–522.
- Hairault, Jean-Olivier, François Langot and Franck Portier (1997): Time to implement and aggregate fluctuations. *Journal of Economic Dynamics and Control*, 22(1), pp. 109–121.
- Hansen, Lars Peter and Thomas J. Sargent (1991a): Introduction. In: Lars Peter Hansen and Thomas J. Sargent (eds.), *Rational Expectations Econometrics*, pp. 1–12. Westview Press.
- Hansen, Lars Peter and Thomas J. Sargent (1991b): Two Difficulties in Interpreting Vector Autoregressions. In: Lars Peter Hansen and Thomas J. Sargent (eds.), *Rational Expectations Econometrics*, pp. 77–119. Westview Press.

- Hillebrand, Friedhelm, Karl-Heinz Rosenbrock and Hans Hauser (2013): The Creation of Standards for Global Mobile Communication: GSM, UMTS and LTE from 1982 to 2012. E-Book available at:<http://www.etsi.org/index.php/news-events/news/710-2013-11-new-ebook-published-and-made-available>.
- Hobijn, Bart and Boyan Jovanovic (2001): The Information-Technology Revolution and the Stock Market: Evidence. *American Economic Review*, 91(5), pp. 1203–1220.
- Hornstein, Andreas and Per Krusell (1996): Can Technology Improvements Cause Productivity Slowdowns? In: *NBER Macroeconomics Annual 1996, NBER Chapters*, vol. 11, pp. 209–276. National Bureau of Economic Research.
- International Organization for Standards (2005): *International Classification for Standards*. Geneva, 6th ed.
- Jaimovich, Nir and Sergio Rebelo (2009): Can News about the Future Drive the Business Cycle? *American Economic Review*, 99(4), pp. 1097–1118.
- Jovanovic, Boyan and Saul Lach (1989): Entry, Exit, and Diffusion with Learning by Doing. *American Economic Review*, 79(4), pp. 690–699.
- Jovanovic, Boyan and Saul Lach (1997): Product Innovation and the Business Cycle. *International Economic Review*, 38(1), pp. 3–22.
- Jovanovic, Boyan and Peter L. Rousseau (2005): General Purpose Technologies. In: Philippe Aghion and Steven Durlauf (eds.), *Handbook of Economic Growth*, vol. 1, pp. 1181–1224. Elsevier.
- Justiniano, Alejandro, Giorgio E. Primiceri and Andrea Tambalotti (2010): Investment Shocks and Business Cycles. *Journal of Monetary Economics*, 57(2), pp. 132–145.
- Kadiyala, K. Rao and Sune Karlsson (1997): Numerical Methods for Estimation and Inference in Bayesian VAR-Models. *Journal of Applied Econometrics*, 12(2), pp. 99–132.
- Katz, Michael L. and Carl Shapiro (1985): Network Externalities, Competition, and Compatibility. *American Economic Review*, 75(3), pp. 424–440.
- King, Robert G., Charles I. Plosser, James H. Stock and Mark W. Watson (1991): Stochastic Trends and Economic Fluctuations. *American Economic Review*, 81(4), pp. 819–840.
- Kogan, Leonid, Dimitris Papanikolaou, Amit Seru and Noah Stoffman (2012): Technological Innovation, Resource Allocation, and Growth. NBER Working Paper No. 17769, National Bureau of Economic Research.
- Leeper, Eric M. and Todd B. Walker (2011): Information Flows and News Driven Business Cycles. *Review of Economic Dynamics*, 14(1), pp. 55–71.
- Leeper, Eric M., Todd B. Walker and Shu-Chun Susan Yang (2013): Fiscal Foresight and Information Flows. *Econometrica*, 81(3), pp. 1115–1145.
- Lippi, Marco and Lucrezia Reichlin (1993): The Dynamic Effects of Aggregate Demand and Supply Disturbances: Comment. *American Economic Review*, 83(3), pp. 644–652.
- Lippi, Marco and Lucrezia Reichlin (1994): Diffusion of Technical Change and the Decomposition of Output into Trend and Cycle. *Review of Economic Studies*, 61(1), pp. 19–30.



- McDonald, Robert and Daniel Siegel (1986): The Value of Waiting to Invest. *The Quarterly Journal of Economics*, 101(4), pp. 707–727.
- Pástor, Lubos and Pietro Veronesi (2009): Technological Revolutions and Stock Prices. *American Economic Review*, 99(4), pp. 1451–1483.
- Pindyck, Robert S (1991): Irreversibility, Uncertainty, and Investment. *Journal of Economic Literature*, 29(3), pp. 1110–48.
- Samaniego, Roberto M. (2006): Organizational Capital, Technology Adoption and the Productivity Slowdown. *Journal of Monetary Economics*, 53(7), pp. 1555–1569.
- Shea, John (1999): What Do Technology Shocks Do? In: *NBER Macroeconomics Annual 1998, NBER Chapters*, vol. 13, pp. 275–322. National Bureau of Economic Research.
- Sims, Christopher A. and Tao Zha (1998): Bayesian Methods for Dynamic Multivariate Models. *International Economic Review*, 39(4), pp. 949–968.
- Sims, Eric R. (2012): News, Non-Invertibility, and Structural VARs. *Advances in Econometrics*, 28, pp. 81–136.
- Smets, Frank and Rafael Wouters (2007): Shocks and Frictions in US Business Cycles: A Bayesian DSGE Approach. *American Economic Review*, 97(3), pp. 586–606.
- Trajtenberg, Manuel (1990): A Penny for Your Quotes: Patent Citations and the Value of Innovations. *RAND Journal of Economics*, 21(1), pp. 172–187.
- Yorukoglu, Mehmet (1998): The Information Technology Productivity Paradox. *Review of Economic Dynamics*, 1(2), pp. 551–592.
- Zha, Tao (1999): Block Recursion and Structural Vector Autoregressions. *Journal of Econometrics*, 90(2), pp. 291–316.